

17th Annual Series.

CATALOGUE FOR 1852,
OF A FINE COLLECTION OF
FLORICULTURAL
VEGETABLE AND AGRICULTURAL
SEEDS,

COMPRISING SPLENDID ASSORTMENTS OF
GERMAN ASTERS, STOCKS, ZINNIAS, &c.,
besides a numerous List of other established
favourites, and many new and rare Seeds.

In giving orders for Flower Seeds it is sufficient, indeed preferable, to mention the numbers without the names; but as the numbers are changed every year, it is absolutely necessary to say from the Catalogue for 1852.

Page 2 and 3 Necessary explanations.

4 German Flower Seeds.

5 Sundry Assortments.

6 to 26 Miscellaneous Flower Seeds.

Page

26 Packets of mixed Flower Seeds.

27 Flowering Bulbs.

28 to 31 Kitchen Garden and Fruit Seeds.

32 Agricultural Seeds.

~~~~~  
THE  
LIST OF VEGETABLE SEEDS  
WILL BE FOUND TO CONTAIN ALL THE LEADING  
AND MOST APPROVED VARIETIES.

~~~~~  
TO BE HAD OF
JAMES CARTER,
SEEDSMAN AND FLORIST,
238, HIGH HOLBORN, LONDON.

Catalogues will be forwarded gratis and prepaid on application.

* * The German Seeds are from the usual source.

A Catalogue of Dutch Bulbs will be published in due time.

January 1852. Revised Edition.

[Entered at Stationers' Hall.]

THE NECESSARY EXPLANATIONS

respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 6.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders.
4th Column.—*Hardiness.*

h. hardy—plants for the open borders.
hh. half-hardy—such as require a hot-bed.
t. tender—pot plants, require shifting.
f. frame—require protection till May.
g. greenhouse—greenhouse plants.
s. stove or hothouse—stove plants.

Duration.
A. annual—last one year.
B. biennial—last two years.
P. herbaceous perennial—last three or more.
S. shrub, or under-shrub.
Pb. perennial bulb or tuber.
T. tree.

Application: hA. hardy annual; hB. hardy biennial; hP. hardy herbaceous perennial; hS. hardy shrub; hPh. hardy bulbous perennial; hT. hardy tree; hhA. half-hardy annual; hhB. half-hardy biennial, &c. &c.; tA. tender annual, &c.; fA. frame annual, &c.; gA. greenhouse annual, &c.; sA. stove annual; sB. stove biennial; sP. stove perennial; sS. stove shrub; sPh. stove bulbous perennial.

5th Column.—*Colour of the flower.* The following are the principal abbreviations:

a. ash-grey.	cr. crimson.	o. orange.	sl. slate.
ap. apetalous.	d. dark.	ptd. painted.	spot. spotted.
az. azure.	div. diverse.	p. purple.	stra. straw.
b. blue.	fsh. flesh.	peh. peach.	stri. striped.
blk. black.	gn. green.	pk. pink.	sul. sulphur.
blh. bluish.	gy. grey.	r. red.	v. violet.
br. brown.	l. light.	ro. rose.	va. variegated.
bff. buff.	lem. lemon.	saf. saffron.	w. white.
car. carmine.	li. lilac.	s. scarlet.	y. yellow.
cin. cinnamon.	mul. mulberry.	sil. silver.	yh. yellowish.

Example: d. b. dark blue; b. w. y. blue, white and yellow; l. r. light red, &c. &c.

6th Column.—*Usual height of the plant in feet*; tra. trailer.

7th Column.—*Usual month of flowering*: 1, January; 2, February; 3, March, &c.; 3-5, March to May, &c. &c.

8th Column.—*Price per Packet.* 6d. Packets may be had of those marked 3d., but no smaller packets can be made than those marked in the Catalogue.

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn; when sown early many of the Annuals flower in May. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in February till May, on a moderate hot-bed. Many of the Biennials and Perennials marked hh frequently stand the winter without protection. The half-hardy Annuals may also be sown on a warm border early in May. The tender Annuals, as Balsams, &c., require a moderate hot-bed and re-potting to bring them to perfection.

The Greenhouse Climbers marked ** may be planted in the borders in May.

* Dwarf Plants proper for the edgings of beds. ** Ornamental Climbers.

† Usually flower the first year, if sown early; sp. species, var. variety; lf. leaf; fr. fruit. The dots | ... | ... | ... | indicate a repetition; pl. pluria, many; er, from.

I. The 24 Linnean Classes. (See Flower Seeds, 1st Col. page 6.)

The Linnean Classes are founded on the Sexual Organs.

Classes.	a. Stamens (male organs) equal.		c. Stamens united in sets.	
	No.	1. Monandria . 1 stamen	16. Monadelphia, 1 set	
	2. Diandria . 2 stamens		17. Diadelphia, 2 sets	
	3. Triandria . 3 "		18. Polyadelphia, many sets	
	4. Tetrandria . 4 "		d. Compound Flowers (Aslers, &c.).	
	5. Pentandria . 5 "		19. Syngenesia	
	6. Hexandria . 6 "		e. Stamens on the style.	
	7. Heptandria . 7 "		20. Gynandria	
	8. Octandria . 8 "		f. Male and female separated.	
	9. Enneandria . 9 "		21. Monœcia, on one plant	
	10. Decandria . 10 "		22. Dioœcia, on different plants	
	11. Dodecandria 12 to 19 S. in the cup		g. Male, female, and hermaphrodite flowers, on one or different plants.	
	12. Icosandria 20 or more S. on the base		23. Polygamia, many marriages	
	13. Polyandria, many Stamens		h. Flowers wanting, or incomplete.	
	h. Stamens unequal.		24. Cryptogamia, hidden marriages (Ferns, Mosses, &c.).	
	14. Didynamia, 2 long, 2 short			
	15. Tetradyndamia, 4 " 2 "			

II. The Linnean Orders. (See Flower Seeds, 2nd Column, page 6.)

The Linnean Orders are founded on the Sexual Organs, Seeds, or Pods.

a. Orders founded on the Styles, or female organs.

- | | |
|-------------------|------------|
| No. 25. Monogýnia | . 1 style |
| 26. Digýnia | . 2 styles |
| 27. Di-pentagýnia | 2 to 5 " |
| 28. Trigýnia | . 3 " |
| 29. Tetragýnia | . 4 " |
| 30. Pentagýnia | . 5 " |
| 31. Hexagýnia | . 6 " |
| 32. Heptagýnia | . 7 " |
| 33. Decagýnia | . 10 " |
| 34. Dodecagýnia | . 12 " |
| 35. Polygýnia | many " |
- b. On the Stamens (male organs).
- | | |
|------------------|-------------|
| 36. Monan'dria | . 1 stamen |
| 37. Diandria | . 2 stamens |
| 38. Triandria | . 3 " |
| 39. Tetrandria | . 4 " |
| 40. Pentandria | . 5 " |
| 41. Hexandria | . 6 " |
| 42. Heptandria | . 7 " |
| 43. Octandria | . 8 " |
| 44. Enneandria | . 9 " |
| 45. Decandria | . 10 " |
| 46. Dodecaandria | . 12 " |
| 47. Icosandria | . 20 " |
| 48. Polyandria | many " |

c. On the sets of Stamens.

No. 49. Monadelphia, 1 set

d. Styles and stamens united.

50. Gynandria

e. Male and female separate.

51. Monoc'cia, on one plant

52. Dioec'cia, on different plants

f. On the Polygamy.

53. { Polygámia æqualis, or Equal Polygamy

54. { Polygámia superflua Superfluous Polygamy

55. { Polygámia frustránea Frustrated Polygamy

56. { Polygámia necessariá Necessary Polygamy

57. { Polygámia segregata Separated Polygamy

g. On the Seeds.

58. { Gymnosper'mia Naked seeds

59. Angiosper'mia, in a capsule

h. On the Pods.

60. Siliculosa, a small pod

61. Siliquosa, a long pod.

III. The Natural Orders. (See Flower Seeds, 3rd Column, page 6.)

The Natural Orders are founded on Structural Affinities.

- | | | | |
|-------------------|--------------------|--------------------|----------------------|
| 62. Acanthaceæ | 86. Cucurbitaceæ | 110. Lythraceæ | 134. Resedaceæ |
| 63. Amaranthaceæ | 87. Dilleniaceæ | 111. Magnoliaceæ | 135. Rosaceæ |
| 64. Amaryllidaceæ | 88. Dipsaceæ | 112. Malvaceæ | 136. Rutaceæ |
| 65. Anacardiaceæ | 89. Epacridaceæ | 113. Marantaceæ | 137. Sapindaceæ |
| 66. Apocynaceæ | 90. Ericaceæ | 114. Melanthaceæ | 138. Saxifragaceæ |
| 67. Araliaceæ | 91. Euphorbiaceæ | 115. Myrtaceæ | 139. Scitamineæ |
| 68. Asclepiadaceæ | 92. Ficoideæ | 116. Musaceæ | 140. Scrophulariaceæ |
| 69. Balsaminaceæ | 93. Francoaceæ | 117. Nyctagineæ | 141. Selaginaceæ |
| 70. Begoniaceæ | 94. Fumariaceæ | 118. Nymphaeaceæ | 142. Sesameæ |
| 71. Berberidaceæ | 95. Gentianaceæ | 119. Oleaceæ | 143. Silenaceæ |
| 72. Bignoniaceæ | 96. Geraniaceæ | 120. Oleinaceæ | 144. Solanaceæ |
| 73. Boraginaceæ | 97. Gesneriaceæ | 121. Onagrariceæ | 145. Stellateæ |
| 74. Cactaceæ | 98. Gramineæ | 122. Oxalidaceæ | 146. Sterculiaceæ |
| 75. Campanulaceæ | 99. Hydrophyllaceæ | 123. Papaveraceæ | 147. Thymelaceæ |
| 76. Capparidaceæ | 100. Hypericaceæ | 124. Passifloraceæ | 148. Tropaeolaceæ |
| 77. Caprifoliaceæ | 101. Iridaceæ | 125. Pittosporaceæ | 149. Tulipaceæ |
| 78. Cinchonaceæ | 102. Jasininaceæ | 126. Plumbaginaceæ | 150. Umbellifereæ |
| 79. Cistaceæ | 103. Labiataæ | 127. Polemoniaceæ | 151. Urticaceæ |
| 80. Cobæaceæ | 104. Leguminosæ | 128. Polygalaceæ | 152. Valerianaceæ |
| 81. Commelinaceæ | 105. Liliaceæ | 129. Polygonaceæ | 153. Verbenaceæ |
| 82. Compositæ | 106. Linnanthaceæ | 130. Portulacæ | 154. Violaceæ |
| 83. Convolvulaceæ | 107. Linaceæ | 131. Primulaceæ | 155. Rhamnaceæ |
| 84. Crassulaceæ | 108. Loasaceæ | 132. Proteaceæ | 156. Zygophyllaceæ |
| 85. Crucifereæ | 109. Lobeliaceæ | 133. Ranunculaceæ | |

The names of the Natural Orders ending in *ACEÆ* are chiefly derived from Generic Names, as *CAMPANULACEÆ* from *CAMPANULA*; such as end in *Æ* only are not, as *COMPOSITÆ*, compound flowers; *CRUCIFEREÆ*, cross-shaped; *LABIATÆ*, lip-flowered, &c.

The Natural Orders, for reference to which the numbers 62 to 156 afford great facility, will prove of essential service to the Amateur in forming, by comparison, an opinion of any plant in this Catalogue which is unknown to him; for instance, *Anagallis*, *Cyclamen*, *Dodecatheon*, *Primula prænitens* or Chinese Primrose, *Auricula* and *Polyanthus* belong to the same Natural Order, *Primulaceæ*, No. 131; consequently should he not know *Dodecatheon*, the knowledge of one or more of the others would greatly assist him in forming an opinion of it. In making comparisons, the height of the plant should be considered. The Aster and the Daisy, for example, belong to the same Natural Order 82, but at first sight there does not appear to be much resemblance between them, the difference in the size of the flowers and height of the plants being so very conspicuous.

GERMAN FLOWER SEEDS

IN CHOICE ASSORTMENTS.

These Seeds warranted to equal, if not surpass, any in the Kingdom.

Explan. h. hardy; hh. half-hardy; t. tender; A. Annual; B. Biennial; P. Perennial.

No.		GERMAN ASTER, <i>hhA.</i>				s. d.
1	16	splendid varieties of German Aster, separate	do.	do.	do.	3 0
2	16	do. do. do.	do.	do.	smaller packets	1 6
3	12	do. do. new Pacony-flowered	do.	do.	do.	3 0
4	12	do. do. do.	do.	do.	smaller packets	1 6
5	12	do. do. new Flat-flowered	do.	do.	do.	3 0
6	12	do. do. do.	do.	do.	smaller packets	1 6
7	12	do. do. Globe-flowered	do.	do.	do.	3 0
8	12	do. do. do.	do.	do.	smaller packets	1 6
9	10	do. do. Pyramidal	do.	do.	do.	2 6
10	10	do. do. do.	do.	do.	smaller packets	1 6
11	12	beautiful do. Dwarf	do.	do.	do.	3 0
12	12	do. do. do.	do.	do.	smaller packets	1 6
13	74	varieties of German Aster, comprising the above	do.	do.	do.	16 0
14	74	do. do. do.	do.	do.	smaller packets	8 0
		GERMAN STOCK, <i>hhA.</i>				
15	24	finest Dwarf German Stock, separate	do.	do.	do.	6 0
16	24	do. do. do.	do.	do.	smaller packets	3 0
17	12	do. do. do.	do.	do.	do.	3 0
18	12	do. do. do.	do.	do.	smaller packets	1 6
19	12	very fine Branching do.	do.	do.	do.	2 6
20	12	do. do. do.	do.	do.	smaller packets	1 6
21	12	fine Wallflower-leaved	do.	do.	do.	2 6
22	12	do. do. do.	do.	do.	smaller packets	1 6
23	6	splendid new large-flowered	do.	do.	do.	2 6
24	6	beautiful new very dwarf	do.	do.	do.	2 6
25	12	do. Autumn-flowering	do.	do.	do.	3 0
26	12	do. do. do.	do.	do.	smaller packets	1 6
27	84	varieties of German Stock, comprising the above	do.	do.	do.	21 0
28	84	do. do. do.	do.	do.	smaller packets	11 0
29	9	superb new Imperial Stock	do.	hhP†	do.	4 0
30	12	finest Winter or Biennial Stock	do.	hhB.	do.	3 0
31	12	do. do. do.	do.	do.	smaller packets	1 6
32	12	Antirrhinum, finest new varieties, separate	hhB†	do.	do.	2 6
33	20	Balsam, very fine double,	do.	tA., hhA., or Greenhouse	do.	4 0
34	10	do. do. do.	do.	do.	do.	2 0
35	12	do. new Camellia-flowered	do.	do.	do.	2 6
36	10	do. splendid new Rose-flowered	do.	do.	do.	2 6
37	12	do. beautiful new Dwarf	do.	do.	do.	3 0
38	50	Carnation and Picotee, extra fine, 5 seeds of each	hhP.	do.	do.	12 0
39	24	Hollyhock, extra fine double, separate	hhP.	do.	do.	4 0
40	12	do. do. do.	do.	do.	do.	2 0
41	12	Larkspur, finest dwarf Rocket	hA.	do.	do.	2 6
42	12	do. tall do.	hA.	do.	do.	2 6
43	6	do. new dwarf Hyacinth-flowered	hA.	do.	do.	2 0
44	12	do. superb new Stock-flowered	hA.	do.	do.	3 0
45	12	Marigold, finest and newest varieties	hhA.	do.	do.	3 0
46	12	Petunia, very fine varieties	hhP†	do.	do.	3 6
47	12	Phlox Drummondii, extra fine	hhA.	do.	do.	5 0
48	12	Poppy, finest double	hA.	do.	do.	2 6
49	12	Salpiglossis, splendid varieties	hhA.	do.	do.	3 6
50	12	Scabious, new large-flowered	hA.	do.	do.	3 0
51	12	Wallflower, superb new	h. Shrub.	do.	do.	5 0
52	12	do. do. do.	do.	do.	smaller packets	2 6
53	24	Zinnia elegans, splendid varieties	hhA.	do.	do.	8 0
54	12	do. do. do.	do.	do.	do.	4 0

SUNDRY ASSORTMENTS

5

comprising the finest and newest varieties.

Expl. *h*, hardy; *hh*, half hardy; *t*, tender; *s*, Stove; *g*, Greenhouse; *A*, Annual; *B*, Biennial; *P*, Perennial; *S*, shrub; *Pb*, Bulbous perennial.

* * * The Perennials and Biennials marked † flower the 1st year.

No.		s.d.	No.		s.d.
55	9 Acacia, <i>gS</i>	3 6	104	10 Nemophila, <i>hA</i>	2 6
56	4 Alonsoa, <i>hhP†</i>	1 0	105	6 do. <i>hA</i>	1 3
57	6 Alstroemeria, <i>gPb</i>	1 6	106	3 Nolana, <i>hA</i>	0 6
58	4 Anagallis, <i>gP†</i>	1 6	107	12 Oenothera, <i>hP & B†</i>	3 6
59	6 Anemone, <i>hPb</i>	2 0	108	6 do. <i>hP & B†</i>	1 6
60	6 Antirrhinum, <i>hB†</i>	1 3	109	5 Papaver, <i>hP†</i>	1 0
61	10 Aquilegia, <i>hP†</i>	2 6	110	4 Passiflora, <i>sS</i>	1 6
62	6 do. <i>hP†</i>	1 6	111	6 Pelargonium or Geranium, <i>gS</i>	3 6
63	6 Calandrinia, <i>hhA & P†</i>	1 6	112	12 Pentstemon, <i>hP†</i>	3 0
64	8 Calliopsis, <i>h or hhA</i>	2 0	113	6 do. <i>hP†</i>	1 6
65	12 Campanula, <i>hP</i>	2 6	114	6 Petunia, <i>hhP†</i>	1 6
66	6 do. <i>hP</i>	1 6	115	3 Podolepis, <i>hhA</i>	1 0
67	10 Canna, <i>sS†</i>	3 6	116	6 Portulaca, <i>hhA</i>	2 6
68	4 Clarkia elegans, <i>hA</i>	0 9	117	6 Potentilla, <i>hP†</i>	1 6
69	4 Clarkia pulchella, <i>hA</i>	0 9	118	6 Salvia, <i>hA & P†</i>	2 6
70	5 Collinsia, <i>hA</i>	1 0	119	4 Schizanthus, <i>hA</i>	1 0
71	4 Cuphea, <i>hhA</i>	1 6	120	4 do. tall, <i>hhA</i>	1 6
72	12 Delphinium, <i>hP†</i>	2 6	121	6 Silene, <i>hA & B</i>	1 0
73	6 do. <i>hP†</i>	1 6	122	6 Thunbergia, <i>g. climber</i>	2 0
74	5 Dianthus chinensis, <i>hB†</i>	1 6	123	6 Tropæolum, <i>gPb. do.</i>	2 6
75	12 Dianthus, various, <i>hP†</i>	3 0	124	6 Verbena, <i>hhB†</i>	2 0
76	6 do. do. <i>hP†</i>	1 6	125	4 Viscaria, <i>hA</i>	1 0
77	10 Digitalis, <i>hP</i>	2 0	126	10 Zinnia elegans, <i>hhA</i>	3 0
78	6 Elchrysium, <i>hhA</i>	1 6	127	6 do. finest	2 0
79	3 do. <i>gS</i>	1 6	128	4 Candytuft, <i>hA</i>	0 9
80	4 Eschscholtzia, <i>hP†</i>	1 0	129	5 Canterbury Bell, <i>hB†</i>	1 6
81	3 Gaillardia, <i>hP†</i>	1 0	130	5 Chrysanthemum, <i>hA</i>	1 0
82	6 Gentiana, <i>hP</i>	1 3	131	18 Convolvulus major, <i>hhA</i>	4 0
83	4 Geum, <i>hP†</i>	1 6	132	10 do. <i>hhA</i>	2 0
84	6 Gilia, <i>hA</i>	1 3	133	8 Convolvulus minor, <i>hA</i>	2 0
85	6 Godetia, <i>hA</i>	1 3	134	4 Globe Amaranthus, <i>LA</i>	1 0
86	5 Heliotropium, <i>gS</i>	1 6	135	10 Gourds, <i>france. A</i>	2 6
87	5 Hibiscus, <i>gP. &c.</i>	2 0	136	4 Hawkweed, <i>hA</i>	0 9
88	6 Ipomæa, <i>gA</i>	2 6	137	8 Hollyhock, <i>hP</i>	1 6
89	4 Ipomopsis, <i>hhB</i>	1 6	138	6 Jacobaea, <i>hA</i>	1 3
90	6 Kennedya, <i>gS</i>	2 0	139	6 Larkspur, new branching, <i>hA</i>	1 6
91	4 Leptosiphon, <i>hA</i>	0 9	140	6 Lupinus, common, <i>hA</i>	1 0
92	6 Linaria, <i>hA</i>	1 0	141	8 Marigold, <i>hhA & hA</i>	1 6
93	6 Linum, <i>hP & A</i>	1 6	142	8 Marvel of Peru, <i>hP†</i>	1 6
94	6 Lobelia, <i>hhA & P†</i>	1 6	143	6 Nasturtion, <i>hA</i>	1 0
95	4 Lophospermum, <i>gS†</i>	1 6	144	8 Sweet Peas, <i>hA</i>	1 6
96	6 Lupinus, <i>hA</i>	1 3	145	6 Poppy, superb, <i>hA</i>	1 6
97	6 do. perennial, <i>hP†</i>	1 3	146	6 Stock, 10-week, <i>hhA</i>	1 6
98	4 Lychnis, <i>hP</i>	1 0	147	4 —, new Dwarf, <i>hhA</i>	1 6
99	4 Malope, <i>hA</i>	0 9	148	4 —, largest new, <i>hhA</i>	1 6
100	4 Martynia, <i>hhA</i>	1 6	149	8 —, intermediate, <i>hhA</i>	2 0
101	4 Maurandya, <i>gS†</i>	1 6	150	4 —, new Imperial, <i>hhP†</i>	1 6
102	4 Mesembryanthemum, <i>hhA</i>	1 6	151	5 Venus' Looking-Glass, <i>hA</i>	1 0
103	6 Mimulus, <i>hhP†</i>	1 6			

COLLECTIONS OF CHOICE ANNUALS, &c.

100 hardy Annuals, 16s.; 50, 8s.; 25, 4s. | 100 hardy Perennials, 16s.; 50, 8s.; 25, 4s.
 100 half-hardy do. 24s.; 50, 12s.; 25, 6s. | 25 greenhouse Seeds, 5s.; 12 do. do. 4s.

N.B. As the above Collections are kept in sealed packets, neither additions nor omissions can be permitted. Particular Seeds must be selected from the Catalogue (Nos. 152 to 1454) at the prices marked.

CATALOGUE.

N.B. The Numbers 1 to 24 represent the 24 Linnean Classes (see Column 1st), whereas those indicating the Linnean Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, Campanula, 5, 25, 75, belongs to the 5th Linnean Class, *Pentandria*, the flower having 5 Stamens; to the Linnean Order *Monogymia*, from its having 1 Style (Pistillum); and to the Natural Order *Campanulaceae*, plants with Bell-shaped Flowers. See page 8.

MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus *Acacia speciosa* is rendered showy *Acacia*, &c.—In giving orders it is sufficient to mention the numbers and date of this Catalogue, 1852. N.B. The numbers being changed every year, it is absolutely necessary to say from what Catalogue they are taken.

A — indicates a variety, see No. 169. () That the word is not literally translated, or is superadded.

THE ACCENTS.

à, è, ì, ò, ù, ÿ, as in *Acù-eia*, *Gardè-nia*, *Lupì-nus*, *Cù-phæa*, *Hÿ-aënth*.

á, é, í, ó, and ý, as in *Itál-iea*, *él-egans*, *bie-olor*, *Nemóph-ila* (u similarly placed is long, as in *lúeida*).

<i>A</i> — indicates a variety, see No. 169. () That the word is not literally translated, or is superadded.		Linnean Class.	Linnean Order.	Natural Order.	Hardiness and Duration.	Colour of the Flower.	Height in Feet.	Month of Flowering.	Price per Packet.	
THE ACCENTS.										
<i>â, é, î, ð, ù, ÿ</i> , as in <i>Acá-eia, Gardê-nia, Lupî-nus, Cû-phea, Hy-aeinth</i> .										
<i>â, é, î, ô, and ÿ</i> , as in <i>Itál-ia, él-egans, bie-olor, Nemóph-ila</i> (<i>u</i> similarly placed is long, as in <i>lúeida</i>).										
Scientific Name.										
No.							feet		s. d.	
152	<i>Acácia armàta</i>	armed	16 44	104	gS	y.	10	5-7	6	
153	<i>falciformis</i>	sickle-shaped	6	...	6	
154	<i>floribunda</i>	bunch-flowered	6	
155	<i>lophantha</i>	crest-flowered	6	
156	<i>pulchella</i>	pretty	4	...	6	
157	<i>speciosa</i>	showy	p.	10	8-10	6	
158	<i>Achimènes</i> , pl. var.	(splendid mixed)	14 59	97	sPb	div.	1	6-9	1 0	
159	<i>Aconitum</i> , pl. var.	mixed (Monkshood)	13 28	133	hP	b&w	2½	7-9	3	
160	<i>Adenóphora suaveolens</i>	fragrant	5 25	75	hP†	b.	1½	7-8	3	
161	<i>Agapanthus umbellatus</i>	umbel-flowered	6	...	105	gPb	...	2½	5-8	6
162	<i>umbellatus albus</i>	white do.	w.	6	
163	<i>Ageratum mexicanum</i>	Mexican	19 53	82	hA	b.	1½	7-10	3	
164	<i>odoratum</i>	odorous	w.	3	
165	<i>Agrostis elegans</i>	elegant	3 26	98	...	ap.	1	7-8	3	
166	<i>Aloë ferox</i>	(spiny)	6 25	105	gS	y.	6	5-7	6	
167	<i>Alonsda grandiflora</i>	large-flowered	14 59	140	hhP†	s.	1	6-9	3	
168	<i>incisifolia</i>	cut-leaved	3	
169	— <i>picta</i>	painted	va.	6	
170	<i>Alstroemèria aurantiaca</i>	orange	6 25	64	gPb	o.	2½	...	6	
171	<i>Pelegrina</i>	(striped)	stri.	1½	...	6	
172	— <i>alba</i>	white	wa.	6	
173	<i>hýbrida nova</i>	new hybrid	div.	2	...	1 0	
174	<i>pulchella</i>	pretty	s.	1½	...	6	
175	<i>tricolor</i>	three-coloured	va.	1	...	6	
176	<i>Alyssum maritimum</i>	(Sweet Alyssum)	15 60	85	hA	w.	1	7-8	3	
177	<i>saxatile</i>	rock	hP†	y.	1	5-7	3
178	<i>Amaranthus bicolor</i>	two-coloured	21 40	63	tA	va.lf.	...	7-8	3	
179	<i>tricolor</i>	three-coloured	3	
180	<i>Amethystea cærúlea</i>	blue	2 25	103	hA	b.	1½	...	3	
181	<i>Anagallis indicá</i>	Indian	5	...	131	3	
182	<i>fruticosa</i>	shrubby	gB†	s.	1½	6-9	6
183	<i>Monelli Phillipsii</i>	(large blue)	gP†	b.	1	...	6
184	— <i>incarnata</i>	flesh-coloured	flsh.	6	
185	— <i>rosea</i>	rose	ro.	6	
186	<i>Anastática hierochuntina</i>	(Rose of Jericho)	15 61	85	hhA	w.	3	7-8	6	
187	<i>Anchúsa arvensis</i>	(bright blue)	5 25	73	hP†	b.	1½	...	3	
188	<i>ochroleuca itálica</i>	Italian	6-8	3	
189	<i>Anemónë capensis</i>	Cape	13 35	133	gP	p.	1	...	6	
190	<i>coronária</i>	(Poppy Anemone)	hP†	div.	...	4-6	6
191	— <i>coccinea splendens</i>	splendid scarlet	s.	6	

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
192	Anemone hortensis	(star-flowered)	13 35	133	hPb	div.	1	4-6	s. d. 6
193	Hudsoniana	Hudson's Bay	hP	w.	...	5-7	6
194	Pulsatilla	(Pasque-flower)	v.	$\frac{3}{8}$	4-5	6
195	sulphurea	sulphur	sul.	1	...	6
196	sylvestris	sylvan	w.	6
197	Anoda Dilleniana	(Blue Hibiscus)	16 45	112	hA	b.	2	7-8	3
198	Anomathæca eruenta	blood-red	3 25	101	fPb	r.	1	7-9	6
199	Antirrhinum Mâjus album	white (Snapdragon)	14 59	140	hP+	w.	2	6-10	3
200	Mâjus, caryophylloides	Carnation	stri.	3
201	— luteum	yellow	y.	3
202	— coccineum	scarlet	s.	3
203	— flavum	yellow	y.	3
204	— pictum	painted	r & y	3
205	— quadricolor	four-coloured	va.	3
206	— striatum novum	new striped	div.	3
207	Aquilegia arctica	arctic	13 30	133	...	s & g	1	5-7	3
208	Butteana	Butte's	va.	1 $\frac{1}{2}$...	6
209	canadensis	Canadian	r & o	3
210	— elatior	taller	r & y	2	...	3
211	formosa	beautiful	o & y	1	...	6
212	fragrans	fragrant	y. va.	6
213	glandulosa	glandular	b & w	1 $\frac{1}{2}$...	3
214	hybrida bicolor	hybrid	w & b	3
215	pyrenæica	Pyrenean	b.	6
216	sibirica flore-pleno	double Siberian	3
217	Skinneri	Mr. Skinner's	s & g	3
218	Willdenovii	Willdenow's	l. b. & w.	6
219	Arabis alpina	alpine	15 61	85	...	w & y	$\frac{3}{4}$	7-8	3
220	Arabis japonica	Japan	5 30	67	sS	w.	4	6-8	6
221	Arduina grandiflora	large-flowered	...	25	66	gS	...	2 4-8	6
222	Argemone grandiflora	large-flowered	13	...	127	hA	...	7-8	6
223	mexicana	Mexican	y.	3
224	Aristea cyanea	sky-blue	3	...	101	gPb	b.	1 5-7	6
225	Armæria formosa (Stâtice)	beautiful	5 30	126	hP	ro.	...	7-8	6
226	Artanema humbriata	fringed	14 59	140	gS	r. b.	2	6-8	6
227	Asclepias curassavica	Curassao	5 26	68	sP	s.	2 $\frac{1}{2}$...	6
228	tuberosa	tuberous-rooted	hP	o.	2 7-8	6
229	Aster tenellus*	slender	19 54	82	hB+	b & y	$\frac{3}{4}$	6-8	3
230	Athanasia annua	annual	...	53	...	hA	y.	1 7-9	3
231	Azalea pontica	Pontic	5 25	90	hS	div.	3	5-7	6
232	Baptisia australis	southern	10	...	104	hP	b.	2 7-8	3
233	perfoliata	perfoliate	gP	y.	3	6
234	Bartonia aurea	golden	13	...	108	hA	...	1 $\frac{1}{2}$	3
235	Begonia zinnabarina	vermilion	21 48	70	sPb	ver.	4	6-8	6
236	Bellis perennis, fl. pl.	double-flowered. Daisy	19 54	82	hP+	div.	$\frac{3}{8}$	4-8	1 0
237	Bignonia, pl. sp.**	several species	14 59	72	hS	y & o	10	7-9	6
238	Blumenbachia insignis	beautiful	18 48	108	hA	w.	1	7-8	3
239	Brachycome iberidifolia	Iberis-leaved	19 54	82	...	b.	1 $\frac{1}{2}$...	6
240	iberidifolia alba	white	w.	6
241	— lilacina	lilac	li.	6
242	Browallia elata	tall	14 59	140	gA	b.	2	6-8	3
243	Bulbine floribunda	bunch-flowered	6 25	105	gPb	y & g	1	8-9	6
244	Burchellia capensis	Cape	5	...	78	sS	...	4 3-5	6
245	Cacalia coccinea	scarlet	19 53	82	hA	...	$\frac{3}{4}$	7-8	3
246	coccinea aurea	yellow	y.	3
247	Cactus, pl. sp.	several species	12 25	74	sS	div.	div.	6-9	1 0
248	Cajanus flavus	yellow	17 45	82	...	y.	4	7-8	6
249	Calamagrostis scabra**	rough (podded)	14 59	72	hP+	o.	6	6-9	6
250	scabra miniata**	earmine	ear.	6
251	Calandrinia discolor (elegant)	elegant	11 25	130	...	ro.	1 $\frac{1}{2}$	7-8	6

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.			Li.	O.	N.O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			Li.	O.	N.O.	H. & Dur.	Col. of Fl.	feet		s. d.
252	Calandrinia grandiflora	large-flowered	11	25	130	hhP†	p.	1½	7-8	3
253	Lindleyana	Dr. Lindley's	hA	r.	½	...	3
254	speciosa	showy	p.	3
255	umbellata*	umbelled (beautiful)	hhP†	...	4	...	6
256	Calceolaria pinnata	pinnate	2	...	140	hhA	y.	1½	...	3
257	hybrida, punctata	hybrid, spotted	gP	div.	2	6-9	10
258	subcrecta	suberect	hhP	y.	...	7-9	6
259	Callichroa platyglossa	(broad-rayed)	19	56	82	hA	...	1	7-8	3
260	Calliopsis (Corcopsis)	(splendid mixed)	...	55	...	hhA	div.	2	7-9	3
261	bicolor	two-coloured	y & r	3
262	— atrosanguinea	dark red	d. r.	3
263	— grandiflora	large-flowered	y & r	3
264	— marmorata	marbled	va.	3
265	— nana nova	new dwarf	y & r	1	...	6
266	Drummondii	Drummond's	y & br	3
267	— major	larger-flowered	6
268	Atkinsoniana	Atkinson's	hP†	...	2½	...	3
269	Campánula americana	American	5	25	75	...	b.	2	...	3
270	carpatica	Carpathian	3	7-8	3
271	— alba	— white	w.	3
272	grandiflora	large-flowered	b.	1	...	6
273	grandis	grand	l. b.	2	...	3
274	Lætingii	Læting's	hA	b.	1	...	3
275	nobilis	noble	hP†	p.	1½	...	6
276	— alba	— white	w.	6
277	pulcherrima	beautiful	b.	1	...	3
278	pusilla	dwarf	3
279	pyramidalis	pyramidal	hP	l. b.	3	6-8	3
280	— alba	— white	w.	3
281	sibirica	Siberian	hB†	b.	1	7-8	3
282	speciosa	showy	hP†	p.	2	...	6
283	stricta	strict	hB†	b.	1½	...	3
284	Trachelium fl. pl.	double-flowered m.	hP†	b&w	2½	...	6
285	urticifolia	nettle-leaved	b.	1½	...	3
286	Lorei	Lore's	hA	p.	1	...	3
287	— alba	— white	w.	3
288	pentagonia	five-angled	b.	3	...	3
289	— alba	— white	w.	3
290	Canna aurantiaca	orange	1	...	113	sP†	o.	4	1-12	6
291	coccinea	scarlet	s.	2½	...	6
292	flaccida	flaccid	r.	4	...	6
293	floribunda	many-flowered	6
294	gigantea	gigantic	r & y	6	...	6
295	glauca	glaucous	y & r	4	...	6
296	indica	Indian	div.	2½	...	6
297	lutea	yellow	y.	6
298	picta	painted	r & y	3	...	6
299	speciosa	showy	r.	6
300	Cardiospermum halicacabum	(Balloon Vine)**	8	28	135	sA	w&g	5	6-8	6
301	Cassia grandiflora	large-flowered	10	25	104	sS	y.	3	5-8	6
302	Catananche lutea	yellow	19	53	82	hA	...	1	7-8	3
303	caerulea	blue	hP†	b.	2	...	3
304	— bicolor	two-coloured	w & b	3
305	Celsia cretica	Cretan	14	59	140	hB†	y.	3	...	3
306	Centaurea americana	American	19	55	82	gA	r.	2½	8-10	6
307	depressa*	dwarf	hA	b.	1	7-8	3
308	Centranthus macrosiphon	tong-tubed	1	25	152	...	r.	¾	7-9	3
309	macrosiphon carnea	(new flesh-coloured)	flsh	6
310	Chaenostoma fastigiatum*	bunch-flowered	14	59	140	hA	ro.	6
311	polyanthum	many-flowered	li.	3

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
									feet		s. d.
312	Chelone barbata	bearded (<i>Pentstemon</i>)	14	59	140	hP†	s.	2	7-9	6	
313	gentianoides	Gentian-like	r.	3	
314	— alba	— white	w.	6	
315	— coccinea	— scarlet	s.	6	
316	— elegans	— elegant	ro.	6	
317	Chironia frutescens	frutescent	5	25	95	gS	r.	1½	6-8	6	
318	Chorozema latifolia	broad-leaved	10	...	101	...	y & r	4	...	6	
319	pl. sp.	several species	div.	6	
320	Chrysanthemum indicum	Indian	19	54	82	hP	...	3	9-12	1 0	
321	frutescens?	frutescent	y.	2	8-10	6	
322	Cineraria hybrida pl. var.	(splendid mixed)	gS	div.	...	5-7	1 0	
323	Cirsium pulcherrimum	most beautiful	...	55	...	hP	p.	4	7-8	6	
324	Cistus monspeliensis	Montpelier	13	25	79	fP†	w.	2	6-7	6	
325	Cladanthus arabicus	Arabian	19	54	82	hA	y.	1	6-8	3	
326	Clarkia elegans	elegant	8	25	121	...	li.	1½	...	3	
327	— elegans flore-pleno	— double	3	
328	— rosea	— rose-coloured	ro.	3	
329	— — flore-pleno	— double rose	3	
330	— violacea nova	— violet new	v.	3	
331	pulchella	pretty	ro.	1½	...	3	
332	— alba	— white	w.	3	
333	— grandiflora	— large-flowered	r.	3	
334	— — alba	— — white	w.	3	
335	Clématis Flammula**	flame	13	35	133	hS	...	15	6-9	3	
336	Vitalba**	Traveller's Joy	3	
337	Cléome pentaphylla	five-leaved	15	61	76	hA	...	2	7-8	6	
338	speciosa	showy	ro.	6	
339	Clianthus puniceus	crimson	17	45	104	hS	cr.	6	8-10	6	
340	Clintonia elegans	elegant	16	40	109	hA	b.	¾	7-8	3	
341	pulchella	beautiful	3col.	6	
342	— alba	white	w.	6	
343	Clitoria Ternatea**	(sky-blue)	17	45	104	sS	b.	4	...	1 0	
344	2 species**	two fine species	li & b	6	
345	Cobæa scandens**	climbing	5	25	80	gS	p.	30	6-9	6	
346	stipularis**	stipulate	y.	6	
347	Collinsia bicolor	two-coloured	14	59	140	hA	pk & w	1	7-8	3	
348	bicolor atrorubens	— dark red	r & w	3	
349	— heterophylla	— various-leaved	p & w	3	
350	grandiflora	large-flowered	pk & b	3	
351	verna	vernal	p & b	3	
352	Cochlearia acaulis	stemless	15	60	85	hP†	li.	¾	1-6	6	
353	Colchicum autumnale	autumnal	6	28	114	hPb	div.	¾	7-9	3	
354	Collomia coccinea	scarlet	5	25	127	hA	s.	1	7-8	3	
355	grandiflora	large-flowered	buff	3	
356	Commelina cælestis	sky-blue	3	...	81	fPb	b.	1½	...	6	
357	cælestis alba	white	w.	6	
358	Convallaria majalis	(Lily of the Valley)	6	...	105	½	5-8	3	
359	multiflora	many-flowered	3	
360	Coronilla glauca	glaucous	17	45	104	gS	y.	2	...	6	
361	Corydalis aurea	golden	...	41	94	hB†	...	1	5-7	6	
362	Cosmanthus simbrictatus	fringed	5	25	99	hA	b & w	¾	7-8	6	
363	Cosmea bipinnata	bipinnate	19	55	82	...	p.	2	7-9	3	
364	grandiflora	large-flowered	6	
365	Cosmidium filiforme	thread-formed	w.	...	7-8	6	
366	Crœcus vernus	vernal	3	25	101	hPb	div.	¾	3-4	6	
367	Crucianella stylosa	long-styled	4	...	145	hP	pk.	1	6-8	3	
368	Cuphea platycentra	broad-centred	11	...	110	hS	s & w	1½	7-8	6	
369	miniata purpurea, &c.	purple and varieties	div.	1½	...	6	
370	silenoides	Silene-like	hA	blsh.	6	
371	strigillosa	strigillose	hS	s & y	6	

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			Col.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price.
No.										<i>s. d.</i>
372	Cyclamen europæum	Europæan	5	25	131	hPb	r&w.	$\frac{1}{2}$	7-9	6
373	neapolitanum	Neapolitan	hhPb	r.	...	4-6	6
374	Cytisus alpinus	(Scotch Laburnum)	16	45	104	hT	y.	30	5-6	3
375	Laburnum	English	15	...	3
376	capitatus	headed	hS	...	3	...	3
377	nigricans	nigrescent	3
378	racemösus	bunch-flowered	5-7	3
379	Dahlia repens	creeping	19	54	82	hhPb	p.	1	7-9	6
380	superflua	(fine double)	div.	3-4	...	6
381	Datura ceratocaula	horn-stalked	5	25	144	hhA	w&ro	3	7-8	3
382	fastuosa	showy	p.	2	...	3
383	— alba	white	w.	3
384	Daubentonia Tripetiana	Tripet's	17	45	104	gS	s&o.	6	...	6
385	Delphinium amœnum	pleasing (Larkspur)	13	28	133	hP+	b.	2	...	3
386	azurœum	azure	az.	3
387	chinense	Chinese	b.	1 $\frac{1}{2}$...	3
388	— album	— white	w.	3
389	— pl. var.	— mixed	div.	6
390	Clusii	Cluse's	b.	3	...	3
391	decumbens	reclining	1	...	3
392	dietyocarpum	netted-podded	3	...	3
393	elatum	(Bee Larkspur)	div.	4	...	3
394	elegans	elegant	b.	1 $\frac{1}{2}$...	3
395	— flore-pleno	double-flowered	6
396	— — album	— white	w.	6
397	intermedium	intermediate	b.	2	...	3
398	ochroleucum	pale yellow	l.y.	3
399	punicœum	erimson	er.	6
400	splendidum	splendid	b.	6
401	tricolor	three-coloured	3col.	6
402	triste	sad	d.br.	3
403	Dianthus atrorubens fl. pl.	dou. dark red (Pink)	10	26	143	...	d. r.	1	6-9	6
404	atrörubens violaceus	— violet	v.	6
405	— variegatus	— variegated	div.	6
406	barbatus pl. var.	(Sweet William)	hP	...	1 $\frac{1}{2}$...	3
407	— coccineus	— scarlet	s.	3
408	— flore-pleno	— double	div.	6
409	— striatus	— striped	6
410	Carthusianörum fl. pl.	Carthusians', double	hP+	r.	6
411	Caryophyllus	Carnation	hP	div.	2	...	3
412	— flore-pleno	— double	1 0
413	— punctatus	— — Picotee	1 0
414	— bicolor	— — Flake Car.	hhP	2 6
415	— — variegatus	— — Bizarre do.	2 6
416	— — albo-punctatus	— — white Picotee	2 6
417	— — luteo-punctatus	— — yellow do.	2 6
418	— — —	Nos. 413 to 417	10 0
419	Caryophyllus pl. var.	finest d. Carnation	2 6
420	— punctatus pl. var.	— double Picotee	2 6
421	chinensis pl. var.	(Indian Pink, fine m.)	hB+	...	1	...	3
422	— flore-pleno pl. var.	— double do.	3
423	— — albiflorus	— — white	w.	6
424	— — imperialis	— — Imperial	div.	6
425	— — cupreus novus	— — copper, new	cop.	6
426	eruentus	blood-red	hP+	r.	6
427	deltoides	(Maiden)	l. r.	$\frac{3}{4}$...	3
428	— albiflorus	white-flowered do.	w.	3
429	fimbriatus ?	fringed	pk.	6
430	floribundus ?	bunch-flowered	w.	6
431	Foxii	Fox's	w&cr	1	...	6

A—indicates a variety. () That the word is not literally translated, or is superadded.

No.			L.	O.	N.	O.	H.	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
											feet	s. d.	
432	<i>Dianthus giganteus</i>	<i>gigantic</i>	10	26	143	hP+	r.				2	6-9	3
433	<i>hispanicus</i>	<i>Spanish, m.</i>	div.				1	...	3
434	— <i>splendens</i>	<i>splendid</i>	er.				6
435	<i>japonicus</i>	<i>Japan</i>	s.				6
436	<i>latifolius</i>	<i>broad-leaved</i>	div.				$\frac{3}{4}$...	3
437	<i>moschatus</i>	(<i>Garden Pink, s.</i>)	hP	w&p				1	...	3
438	— <i>flöre-pleno</i>	— <i>double-flowered</i>	1 0	
439	<i>plumarius fl. pl.</i>	<i>Feathered double</i>	div.				1 $\frac{1}{4}$...	3
440	<i>pulchellus</i>	<i>pretty</i>	hP+	...				1	...	3
441	<i>superbus</i>	<i>superb</i>	fl.				1 $\frac{1}{2}$...	3
442	— <i>grandiflorus novus</i>	<i>new large-flowered</i>	div.				6
443	<i>Didiscus cæruleus</i>	<i>blue</i>	5	25	150	hhA	b.				2	7-8	6
444	<i>Digitalis aurea</i>	<i>golden (Foxglove)</i>	14	59	140	hP+	y.				1 $\frac{1}{2}$	6-9	3
445	<i>Buxbaumii</i>	<i>Buxbaum's</i>	r. br.				3
446	<i>ferruginea</i>	<i>ferruginous</i>	buff				3
447	— <i>gigantica</i>	<i>gigantic</i>				2	...	3
448	<i>grandiflora</i>	<i>large-flowered</i>	y.				1 $\frac{1}{2}$...	3
449	<i>purpurea</i>	<i>purple</i>	p.				3	...	3
450	— <i>alba</i>	<i>white</i>	w.				3
451	— <i>punctata</i>	<i>spotted</i>	sp.				3
452	<i>Winterli</i>	<i>Winterl's</i>	r. br.				3
453	<i>Diosma, 3 sp.</i>	<i>3 species, separate</i>	5	25	136	gS	w&ro				2 $\frac{1}{2}$	4-7	1 6
454	<i>Dodecatheon Meadia</i>	<i>Meadia</i>	131	hP+	p.				...	6-8	6
455	<i>Meadia alba</i>	<i>white</i>	w.				6
456	<i>Dolichos, 3 sp.</i>	<i>3 species, separate</i>	17	45	104	gS	div.				8	7-9	1 0
457	<i>Doryanthus excelsa</i>	<i>noble</i>	6	25	105	hhPb	crea.				20	...	1 0
458	<i>Dracæna nuda</i>	<i>noddling</i>	gS	br.				4	...	6
459	<i>Dracoccephalum arguense</i>	<i>Argene</i>	14	58	103	hP+	b.				1 $\frac{1}{2}$...	6
460	<i>canariense</i>	(<i>Balm of Gilead</i>)	hhP+	r&p.				6
461	<i>superbum</i>	<i>superb</i>	hP+	b.				6
462	<i>Dracopis amplexicaulis</i>	<i>stem-clasping</i>	19	55	82	hA	y.				2	7-8	3
463	<i>Duranta incanis</i>	<i>unarmed</i>	14	59	153	sS	b.				6	...	6
464	<i>Echium pyreneum</i>	<i>Pyrenean</i>	5	25	73	hB	w.				1	...	3
465	<i>candicans</i>	<i>whitish</i>	fS	b.				3	5-7	3
466	<i>Edwardsia grandiflora</i>	<i>large-flowered</i>	10	...	104	gS	y.				10	...	6
467	<i>Elichrysium robustum</i>	<i>robust</i>	19	54	82	hA	y&w				2	7-9	3
468	<i>maeranthum</i>	<i>large-flowered</i>	pk.				3
469	— <i>album plenum</i>	<i>double white</i>	w.				6
470	— <i>flavum plenum</i>	<i>double yellow</i>	y.				6
471	<i>grandiflorum</i>	<i>large-flowered</i>	gS+	w.				2 $\frac{1}{2}$	6-9	6
472	<i>sesamoides</i>	<i>Sesamum-like</i>	p&w				2	4-6	6
473	<i>Stæchelia</i>	<i>Stæchelia</i>	w.				1 $\frac{1}{2}$	1-12	6
474	<i>Elsholtzia cristata</i>	<i>erected</i>	14	58	103	hA	pk.				1	7-8	3
475	<i>Epæris grandiflora</i>	<i>large-flowered</i>	5	25	89	gS	s.				3	1-6	1 0
476	<i>hybrida superba</i>	<i>superb hybrids</i>	div.				2	div.	2 6
477	<i>paludosa</i>	<i>marsh</i>	r.				3	5-7	6
478	<i>Eragrostis elegans*</i>	(<i>Love-Grass</i>)	3	26	98	hA	ap.				1	7-8	6
479	<i>Brennans spectabilis</i>	<i>showy</i>	6	25	105	hPb	y.				2	5-6	6
480	<i>Erica, 10 sp. sep.</i>	(<i>10 fine species</i>)	8	...	90	gS	div.				div.	div.	5 0
481	<i>pl sp.</i>	(<i>finest mixed, 30 sp.</i>)	2 6
482	<i>Erinus alpinus</i>	<i>alpine</i>	14	59	140	hP+	li.				$\frac{1}{2}$	4-6	3
483	<i>Erodium moschatum</i>	<i>musk</i>	16	25	96	hA	p.				1	5-7	3
484	<i>Eryngium giganteum</i>	<i>gigantic</i>	5	26	150	hP	li.				2	7-8	6
485	<i>Erysimum Peroffskyanum</i>	<i>Peroffsky's</i>	15	61	85	hA	o.				1	6-8	3
486	<i>Erythrina caffra</i>	<i>Caffrarian</i>	17	45	104	gS	s.				8	7-10	1 0
487	<i>Crista-galli</i>	(<i>splendid searlet</i>)	sT	...				40	5-7	1 0
488	<i>Eschscholtzia crœca</i>	<i>saffron</i>	13	29	123	hP+	o.				1 $\frac{1}{2}$	7-8	3
489	<i>erœca alba nova</i>	<i>new white</i>	w.				6
490	<i>californica</i>	<i>Californian</i>	y.				3
491	<i>compacta</i>	<i>compact</i>				1	...	3

<i>A—indicates a variety. () That the word is not literally translated, or is superadded.</i>			Li.	Lo.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								fect		s. d.
492	<i>Eucharidium concinnum*</i>	<i>neat</i>	8	25	121	hA	p.	1	6-8	3
493	<i>grandiflorum*</i>	<i>large-flowered</i>	var.	3
494	<i>Euphorbia variegata</i>	<i>variegated</i>	11	28	91	hA	7-8	6
495	<i>Eutœa multiflora</i>	<i>many-flowered</i>	5	25	99	hA	lav.	...	6-7	3
496	<i>viscida</i>	<i>viscid</i>	b.	3
497	<i>Wrangeliana</i>	<i>Wrangel's</i>	li.	3
498	<i>Fœdia cornucopiæ</i>	<i>Horn of Plenty</i>	2	26	152	...	r.	...	7-8	3
499	<i>Ficus macrophylla</i>	<i>large-leaved</i>	23	52	151	gT	ap.	15	...	6
500	<i>Francœa sonchifolia</i>	<i>Sow-thistle-leaved</i>	8	29	93	hP	p.	2	...	6
501	<i>Fuchsia pl. var.</i>	<i>(splendid mixed)</i>	...	25	121	gS	div.	div.	6-9	1 0
502	<i>Gaillardia bicolor</i>	<i>two-coloured</i>	19	55	82	hP+	y&br.	2	7-9	3
503	<i>picta</i>	<i>painted</i>	y & s.	6
504	<i>— coccinea</i>	<i>scarlet</i>	s.	6
505	<i>— elegantissima</i>	<i>most elegant</i>	y & s.	6
506	<i>— nana</i>	<i>dwarf</i>	1	...	6
507	<i>Richardsoni</i>	<i>Richardson's</i>	o.	2	...	3
508	<i>Wellsiana</i>	<i>Wells'</i>	o & s.	3
509	<i>Gardënia Rothmanni</i>	<i>Rothman's</i>	5	25	78	gS	l. y.	8	6-8	1 0
510	<i>Gardœquia betonicoides</i>	<i>Betoniea-like</i>	14	58	103	hP	pk.	3	9-10	6
511	<i>Gaura Lindheimeria</i>	<i>Lindheimer's (new)</i>	8	25	121	hA	w&r	2	7-8	6
512	<i>Gazania uniflora et rigens</i>	<i>single-flowered, &c.</i>	19	55	82	fS	y.	1	7-9	1 0
513	<i>Genista monosperma</i>	<i>single-seeded (new)</i>	16	45	104	gS	...	2	5-7	6
514	<i>sp. formosa</i>	<i>beautiful species</i>	6
515	<i>Gentiana acaulis</i>	<i>stemless</i>	5	26	95	hP+	b.	$\frac{1}{2}$	4-7	6
516	<i>hybrida</i>	<i>hybrid</i>	y & p	1	7-8	3
517	<i>6 sp.</i>	<i>(6 fine species)</i>	div.	div.	6-8	6
518	<i>Gesnera pl. sp.</i>	<i>(splendid mixed)</i>	14	59	97	sSb	...	$1\frac{1}{2}$	6-9	1 0
519	<i>Gœum montanum</i>	<i>mountain</i>	12	35	135	hP+	y.	6
520	<i>coccineum (chilense)</i>	<i>scarlet</i>	s.	3
521	<i>— atrosanguineum</i>	<i>dark red</i>	d. r.	3
522	<i>— grandiflorum</i>	<i>large-flowered</i>	s.	6
523	<i>— splendens fl. pl.</i>	<i>splendid double</i>	6
524	<i>— superbum</i>	<i>superb</i>	cr.	6
525	<i>japonicum</i>	<i>Japan</i>	y.	6
526	<i>Gilia achilleæfolia</i>	<i>Milfoil-leaved</i>	5	25	127	hA	b. w.	2	6-8	3
527	<i>capitata, 2 var.</i>	<i>head-flowering</i>	b&w	1	...	3
528	<i>nivalis*</i>	<i>snow-white</i>	w.	3
529	<i>tricolor*</i>	<i>three-coloured</i>	3col.	3
530	<i>— albo-cærulea*</i>	<i>white and blue</i>	w&b.	3
531	<i>— rosea sen splendens*</i>	<i>rose or splendid</i>	ro.	3
532	<i>Gladiolus Herbertianus</i>	<i>Herbert's, 30 var.</i>	3	...	101	fPb	div.	2	7-9	1 0
533	<i>Gloxinia pl. sp. et var.</i>	<i>(splendid mixed)</i>	14	59	97	sPb	...	$1\frac{1}{2}$	6-9	1 0
534	<i>Glycine incarnata**</i>	<i>flesh-coloured</i>	17	45	104	gS	flesh.	3	7-8	6
535	<i>Godetia (Cœnothëra)</i>	<i>(finest mixed)</i>	8	25	121	hA	div.	1	...	6
536	<i>bifrons</i>	<i>two-fronted</i>	p & c	3
537	<i>insignis</i>	<i>beautiful</i>	spot.	3
538	<i>Lindleyana</i>	<i>Dr. Lindley's</i>	w&r	3
539	<i>purpurea</i>	<i>purple</i>	p.	3
540	<i>Romanzovii</i>	<i>Romanzow's</i>	3
541	<i>rosco-alba</i>	<i>rose and white</i>	r&w	3
542	<i>rubicunda</i>	<i>blushing</i>	er.	2	...	3
543	<i>vinosa</i>	<i>wine-coloured</i>	p.	1	...	3
544	<i>Willdenovii</i>	<i>Willdenow's</i>	3
545	<i>Goodia lotifolia</i>	<i>Lotus-leaved</i>	16	45	104	gS	y.	3	6-8	6
546	<i>Grammanthes gentianoides</i>	<i>Gentian-like</i>	5	26	84	hA	s.	$\frac{1}{4}$...	6
547	<i>gentianoides crocea</i>	<i>orange</i>	o.	6
548	<i>Gypsophila elegans</i>	<i>elegant</i>	10	...	143	hA	w&p	1	7-8	3
549	<i>Hedychium Gardnerianum</i>	<i>Gardner's</i>	5	25	139	sS	y.	6	6-9	6
550	<i>Helœnium Douglasii</i>	<i>Douglas's</i>	19	54	82	hA	...	2	7-8	3
551	<i>tennifolium</i>	<i>slender-leaved</i>	6

A — indicates a variety. () That the word is not literally translated, or is superadded.

		Ci.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
							feet		s. d.
552	<i>Helianthemum guttatum</i>	<i>spotted</i>	13	25	79	hA	y.	7-8	3
553	<i>apenninum</i>	<i>Apennine</i>	hS†	w.	5-7	6
554	<i>Heliophila araboides*</i>	<i>Arabis-like</i>	15	61	85	hA	b.	7-8	6
555	<i>dissecta</i>	<i>dissected</i>	1	...	6
556	<i>integrifolia</i>	<i>entire-leaved</i>	6
557	<i>trifida</i>	<i>trifid</i>	p.	6
558	<i>Heliotropium grandiflorum</i>	<i>large-flowered</i>	5	25	73	gS	li.	6-8	3
559	<i>peruvianum</i>	<i>Peruvian</i>	3
560	— <i>Voltaireum</i>	<i>Voltaire's</i>	v.	6
561	— — —	<i>Triomphe de Liege</i>	d. v.	6
562	<i>Heracleum giganteum</i>	<i>gigantic</i>	...	26	150	hB	w.	7-9	3
563	<i>Hibbertia volubilis**</i>	<i>climbing</i>	13	28	87	gS	y.	5-9	6
564	<i>Libiscus africanus</i>	<i>African</i>	16	48	112	hA	y&br.	7-9	3
565	<i>calisureus</i>	<i>(beautiful)</i>	3
566	<i>palustris</i>	<i>marsh</i>	hP†	pk.	7-8	6
567	— <i>albus</i>	<i>white</i>	w.	6
568	<i>syriacus</i>	<i>Syrian</i>	hS	div.	...	3
569	<i>esculentus</i>	<i>edible</i>	sA	y.	...	6
570	<i>liliflorus</i>	<i>Lily-flowered</i>	gS	s.	...	6
571	<i>Manihot</i>	<i>Manihot</i>	gP†	y.	...	6
572	<i>militaris</i>	<i>military</i>	p.	6
573	<i>mutabilis</i>	<i>variable</i>	sS	w.	...	6
574	<i>speciosus</i>	<i>showy</i>	gP	s.	...	6
575	<i>Hieracium speciosum</i>	<i>showy</i>	19	53	82	hP†	y.	...	3
576	<i>Hövea Celsi</i>	<i>Cels's</i>	16	45	104	gS	b.	6-9	6
577	<i>longifolia</i>	<i>long-flowered</i>	p.	4	...	6
578	<i>Hümea elegans</i>	<i>elegant</i>	19	53	82	hB†	r.	5	6
579	<i>Hümulus Lupulus**</i>	<i>(cultivated Hop)</i>	22	40	151	hP	y.	6-8	6
580	<i>Hymenoxis californica</i>	<i>Californian</i>	19	54	82	hA	...	7-8	6
581	<i>Ilypéricum elegans</i>	<i>elegant</i>	18	48	100	hP†	...	6-7	6
582	<i>Iberis Tenoreana</i>	<i>Tenore's</i>	15	60	85	...	p.	6-8	6
583	<i>Impatiens glanduligera</i>	<i>glandular</i>	5	25	69	hA	r.	7-8	3
584	<i>glanduligera alba</i>	<i>white</i>	w.	3
585	<i>Incarvillea grandiflora**</i>	<i>large-flowered</i>	14	59	72	gS	o.	7-9	6
586	<i>Indigofera Dösua</i>	<i>Dösua</i>	17	45	104	sS	ro.	5-7	3
587	<i>Ipomæa coccinea**</i>	<i>scarlet</i>	5	25	83	gA	s.	6-9	3
588	<i>böna nox**</i>	<i>Good Night!</i>	sA	w.	12	6
589	<i>ficifolia**</i>	<i>fig-leaved</i>	sP†	b.	...	6
590	<i>lutcola**</i>	<i>yellowish</i>	gA	yh.	8	3
591	<i>polyanthes**</i>	<i>(Auricula-flowered)</i>	sS	y.	12	6
592	<i>Quamoclit**</i>	<i>Quamoclit</i>	gA	s.	8	3
593	— <i>flöre-albo**</i>	<i>white (rare)</i>	w.	6
594	<i>rüb-ro-cærulea**</i>	<i>(sky-blue)</i>	sA	b.	12	1 0
595	<i>tyrianthina**</i>	<i>Tyrian purple</i>	sPb	p.	...	1 0
596	<i>sp. ex. Arabia**</i>	<i>Arabian species</i>	v & y	6
597	<i>babylönica**</i>	<i>Babylonian</i>	gA	var.	...	6
598	<i>barbata**</i>	<i>bearded</i>	hA	p.	...	6
599	<i>carolina semiplena**</i>	<i>Carolina semi-double</i>	6
600	<i>hederacea**</i>	<i>Ivy-like</i>	b.	3
601	<i>purpurea Dicksoni**</i>	<i>Mr. Dickson's</i>	3
602	— <i>Burridgi**</i>	<i>Mr. Burridge's</i>	cr.	3
603	<i>Nil**</i>	<i>(large blue)</i>	b.	3
604	<i>sibirica**</i>	<i>Siberian</i>	flsh.	3
605	<i>Ipomopsis elegans</i>	<i>elegant</i>	...	127	fb	s.	1½	6-8	6
606	<i>picta</i>	<i>painted</i>	spot.	2	...	6
607	— <i>aurantiaca</i>	<i>orange</i>	o.	6
608	<i>superba</i>	<i>superb</i>	s.	6
609	<i>Iris xiphioides</i>	<i>(English Iris)</i>	3	...	101	hPb	div.	6-7	6
610	<i>Xiphium</i>	<i>(Spanish Iris)</i>	1	...	6
611	<i>Isotoma axillaris</i>	<i>axillary</i>	5	...	109	gP†	b.	6-8	6

<i>A— indicates a variety. () That the word is not literally translated, or is superadded.</i>		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.		L.	O.	N.	H. & Dur.	Col. of Fl.	feet		s. d.
612	<i>Ixia maculata</i> , pl. var.	3	25	101	fPb	div.	1	6-8	6
613	<i>Jasminum fruticans</i>	2	...	102	hS	y.	4	5-9	3
614	<i>Kaulfussia anelloides*</i>	19	54	82	hA	b.	$\frac{1}{2}$	7-8	3
615	<i>Kennedyia Baumannii**</i>	17	45	104	gS	p.	6	7-9	6
616	<i>Marryatta**</i>	s.	6
617	<i>monophylla**</i>	b.	6
618	<i>rotundifolia**</i>	p.	6
619	<i>rubicunda**</i>	r.	6
620	<i>Lantana Cammura</i>	14	59	153	sS	o.	3	5-9	6
621	<i>Sellovia</i>	fP+	p.	1	7-9	6
622	<i>speciosa</i>	gP+	s.	2	...	6
623	<i>Lasthenia californica*</i>	19	54	82	hA	y.	1	7-8	3
624	<i>Lathyrus latifolius**</i>	17	45	104	hP+	r.	8	...	3
625	<i>latifolius albus**</i>	w.	3
626	<i>rotundifolius**</i>	p.	$1\frac{1}{2}$...	6
627	<i>Lavatera arborea</i>	16	48	112	hB+	...	6	6-8	6
628	<i>hispida</i>	fS	pk.	6
629	<i>Weinmanni</i>	7-8	3
630	<i>Lebretonia coccinea</i>	sS	s.	10	6-8	1 0
631	<i>Leptosiphon densiflorus</i>	5	25	127	hA	p.	$\frac{3}{4}$...	3
632	<i>androsaceus*</i>	div.	1	...	3
633	<i>— albus*</i>	w.	3
634	<i>— lilacinus*</i>	li.	3
635	<i>Leptospermum grandiflorum</i>	12	...	115	gS	w.	6	...	1 0
636	<i>Leucadendron argenteum</i>	22	39	132	...	y.	8	8-9	6
637	<i>plumosum</i>	4	7-8	6
638	<i>Lycestertia formosa</i>	5	25	77	hS	w&p	6
639	<i>Liätis elegans</i>	19	53	82	hPb	p.	...	8-10	6
640	<i>pycnostachya</i>	3	...	3
641	<i>spicata</i>	6	...	3
642	<i>Ligularia speciosa</i>	...	56	...	hP+	y.	2	...	3
643	<i>Lilium Martagon</i>	6	25	105	hPb	div.	...	7-8	3
644	<i>speciosum hybridum</i>	r&w	3	7-9	1 0
645	<i>Limnanthes Douglasii</i>	10	...	106	hA	w&y	$\frac{3}{4}$	7-8	3
646	<i>grandiflora</i>	3
647	<i>Linaria alpina</i>	14	59	140	hP+	b.	1	6-9	3
648	<i>trionithophora</i>	p.	6
649	<i>Linum austriacum</i>	5	30	107	...	b.	...	6-8	3
650	<i>flavum</i>	y.	2	...	3
651	<i>grandiflorum</i>	b.	1	...	6
652	<i>— album</i>	w.	3
653	<i>monogyum</i>	$1\frac{1}{2}$...	6
654	<i>perenne</i>	b.	3
655	<i>Lisianthus Russellianus</i>	...	25	95	gA	p.	3	7-9	6
656	<i>Loisa aurantiaca**</i>	18	48	108	hP+	o.	8	...	3
657	<i>Herberti**</i>	s.	3
658	<i>tricolor</i>	hA	3col.	2	...	3
659	<i>Lobelia azurea</i>	5	25	109	hP+	az.	$\frac{1}{2}$	6-8	6
660	<i>Erinus</i>	b.	6
661	<i>— compacta</i>	6
662	<i>— grandiflora</i>	6
663	<i>gracilis*</i>	hA	3
664	<i>— alba*</i>	w.	3
665	<i>— rosea</i>	ro.	3
666	<i>heterophylla</i>	hP+	b&w	$1\frac{1}{2}$...	6
667	<i>ramosa</i>	6
668	<i>— rubra</i>	r&w	6
669	<i>cardinalis</i>	gP	s.	3	...	6
670	<i>scandula</i>	hP+	w.	$\frac{1}{2}$...	6
671	<i>siphilitica</i>	gP	b.	2	...	6

A—indicates a variety. () That the word is not literally translated, or is superadded.

No.		Cl.	L.	O.	N.	O.	H.	Dur.	Col.	of Fl.	Hight.	M. of Flow.	Price.
672	<i>Lophospermum scandens</i> **	climbing	14	59	140	gP†	ro.	10	6-9	6	s. d.		
673	<i>scandens Cliftoni</i> **	Clifton's	d.ro.	6			
674	— <i>Hendersoni</i> **	Henderson's	6			
675	— <i>spectabile</i> **	showy	spot.	6			
676	<i>Rhodochiton</i> **	Rhodochiton	p.	6			
677	<i>Lötus Jacobæus</i>	St. James's Island	17	45	104	gA	d.br.	1	7-8	6			
678	<i>Jacobæus flavus</i>	yellow	6			
679	<i>Lupinus affinis</i>	related	16	hA	b&w	3			
680	<i>bicolor</i>	two-coloured	3			
681	<i>Hartwegii</i>	Mr. Hartweg's	b&pk	1½	3			
682	<i>Moritzianus</i>	Moritz's	b.	2	3			
683	<i>mutabilis</i>	variable	va.	3½	3			
684	— <i>Cruckshanksii</i>	Cruckshanks's	3			
685	<i>nanus</i>	dwarf	va.b.	1	3			
686	<i>pulchellus</i>	pretty	p.b.	2	3			
687	<i>arborescens</i>	tree-like	hP†	y.	6	...	3			
688	<i>Douglasii</i>	Douglas's	b.	2	3			
689	<i>élegans</i>	elegant	v&ro.	3			
690	<i>hybridus albus</i>	hybrid white	w.	3			
691	— <i>flavus</i>	yellow	y.	3			
692	— <i>purpureo-flavus</i>	purple and yellow	p&y	3			
693	— <i>stramineus</i>	straw-coloured	stra.	3			
694	<i>guatemalensis</i>	Guatemala	d.v.	3			
695	<i>polyphyllus</i>	many-leaved	b.	2½	3			
696	— <i>albus</i>	white	w.	3			
697	<i>tricolor</i>	three-coloured	3col.	2	3			
698	<i>Lusania calycina</i>	large-calyxed	14	59	140	...	w.	1	...	3			
699	<i>Lychnis alpina</i>	alpine	10	31	143	...	pk.	½	...	3			
700	<i>corsica</i>	Corsican	r.	1	3			
701	<i>chalcédonica</i>	(scarlet)	s.	2	3			
702	— <i>alba</i>	white	w.	3			
703	— <i>mutabilis</i>	variable	va.	3			
704	<i>flos-Jovis</i>	Jove's Flower	er.	1½	3			
705	<i>fulgens</i>	glowing	fP†	s.	1	...	6			
706	<i>Lýthrum roseum superbum</i>	superb rose	11	25	110	hP†	ro.	1½	...	3			
707	<i>Madia elegans</i>	elegant	19	54	82	hA	y.	3	...	3			
708	<i>Magnolia grandiflora</i>	large-flowered	13	35	111	hT	w.	20	6-9	6			
709	<i>Mahonia</i> , 3 sp.	three species sep.	6	25	71	hS	y.	div.	4-7	1 0			
710	<i>Málope trifida</i>	trifid	16	48	112	hA	r.	2	7-8	3			
711	— <i>trifida alba</i>	white	w.	3			
712	— <i>grandiflora</i>	large-flowered	r.	3			
713	<i>Malva mauritiana zebrina</i>	(striped)	stri.	3			
714	— <i>miniata</i>	vermilion	hS	ver.	4	...	3			
715	— <i>moschata</i>	musk-scented	hP†	flsh.	2	...	3			
716	— <i>alba</i>	white	w.	3			
717	<i>Mandevilla suaveolens</i> **	fragrant	5	25	66	sS	...	12	6-9	6			
718	<i>Martynia craniolaria</i>	(white-flowered)	14	59	142	hhA	...	1½	7-9	6			
719	<i>frágrans (formosa)</i>	beautiful	d.p.	6			
720	<i>lutea</i>	yellow	y.	6			
721	<i>proboscidea</i>	proboscis-like	l.b.	3			
722	<i>Maunrandya antirrhiniiflora</i>	<i>Antirrhinum-fl.</i> **	140	gS†	p.	10	4-9	6			
723	<i>Barclayana</i> **	Mr. Barclay's	b&w	6			
724	— <i>alba</i> **	white	w.	6			
725	— <i>rosea superba</i> **	superb rose	ro.	6			
726	<i>scuuperflorens</i> **	ever-flowering	li.	6			
727	<i>Meconopsis cambrica</i>	(Welsh Poppy)	13	25	123	hP†	y.	1	5-8	3			
728	<i>Mesembryanthemum spectabile showy</i>		12	27	92	fS	er.	6			
729	<i>glabrum</i>	glabrous	hhA	y.	½	7-8	6			
730	<i>pinnatifidum</i>	pinnatifid	6			
731	<i>tricolor (pyropæum)</i>	red	r.	½	6			

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
732	Mesenbryan, tricolor album	12	27	92	hhA	w.	feet	7-8	s. d.
733	Mimosa marginata	23	51	104	gS	pk.	1 3	6-8	6
734	Mimulus cardinalis	14	59	140	hhP+	s.	1 1/2	...	3
735	cardinalis crœceus	o.	6
736	— atrosanguineus	d. r.	6
737	guttatus	spot.	1	...	3
738	Hudsoni	w.	6
739	moschatatus	y.	1/2	...	3
740	speciosus	va.	1	...	3
741	Momordica Charantia**	21	49	86	fA	y.	5	...	6
742	Morina elegans	2	25	88	hhP+	p.	3	...	6
743	longiflora	w & r	6
744	Moschæria pinnatifida	19	53	82	hA	y.	...	7-8	3
745	Myosotis palustris	5	25	73	hP+	b & y	1	6-9	6
746	alpestris	b.	1/2	...	6
747	Narcissus Bulbocodium	6	...	64	hPb	y.	...	5-7	6
748	Nelumbium luteum	13	35	118	sP	...	trai	6-9	6
749	Nemesis floribunda*	14	59	140	hhA	w & y	1/2	7-8	6
750	versicolor*	va.	6
751	Nemophila aurita	5	25	99	hA	p.	1 1/2	6-8	3
752	atomaria*	w. sp.	3/4	...	3
753	— caelestis*	b. sp.	3
754	discoidalis*	bor.	3
755	insignis*	b.	3
756	— alba*	w.	3
757	— grandiflora*	b.	3
758	— striata	stri.	3
759	maculata	spot.	3
760	phacelioides	hP+	v.	1	...	3
761	Nerium Oleander, fl. pl.	65	fS	r	8	6-9	6
762	Nierembergia grœcilis	144	hhP+	w & b	3/4	...	1 0
763	Nigella hispânica	13	30	133	hA	b.	1	7-8	3
764	Nolana atriplicifolia	5	25	144	...	b wy	3
765	paradoxa	3
766	prostrata	b.	trai	...	3
767	Nõnea rosea	73	...	ro.	1 1/2	...	3
768	Nycteria fragrans	14	59	140	fS+	w.	1	7-10	6
769	Lychnidea	l. ro.	6
770	Nymphaea cerulea	13	25	118	sP	b.	trai	6-9	6
771	Oenothera densiflora	8	...	121	hA	p.	1/2	7-8	3
772	Drummondii	hhP+	y.	1	7-9	6
773	macrocarpa	2	...	6
774	rosea	hP+	ro.	1 1/2	6-8	3
775	triloba	y.	3/4	5-8	6
776	Sellowii	1	6-8	3
777	speciosa	hA	w.	1 1/4	7-8	6
778	taraxacifolia	hP+	...	1/2	...	6
779	tetraptera	hA	...	1	...	3
780	Ononis rotundifolia	16	45	104	hS+	r.	3	...	6
781	Orobis cœcineus	17	s.	1	5-6	3
782	formosus	p.	...	5-7	6
783	Oxalis rosea	10	30	122	hPb	ro.	...	6-8	6
784	rubella	l. r.	6
785	Oxyura chrysanthemoides	19	54	82	hA	y & w	...	7-8	3
786	Pœonia Montan papaveracea	13	26	133	hS	w.	3	5-7	1 0
787	Moutan arborea	l. r.	4	...	1 0
788	— Banksii	p.	3	...	1 0
789	decora Pallasii	hPb	...	2	...	3
790	Papaver crœceum	...	25	123	hP+	o.	1 1/2	7-8	3
791	nudicanle	y.	3

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		Cl.	L.	O.	N.	O.	H.	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
792	Papàver orientale	oriental	13	25	123	hP+	r.			fect	2	7-8	s. d.
793	— purpureum	purple	p.	3
794	— spectabile	showy	cr.	6
795	puleherrimum	beautiful	s.	6
796	Paspalum elegans	elegant	3	25	98	...	ap.	1½	3
797	Passiflora cærulea**	blue	16	40	124	hS	b.	15	6-9	6
798	Pelargonium (Geranium)	(finest mixed)	16	42	96	gS	div.	3	1 0	...
799	hybridum novum	(new Fane)	1 0	...
800	zonale	girdle	s.	2	6
801	— album	white	w.	1 0	...
802	— nanum	dwarf (Tom Thumb)	s.	1	6
803	— roseum	rose (Lucy)	ro.	6
804	— — —	Nos. 798 to 803	div.	div.	3 6	...
805	Pennisetum setosum	bristly	3	25	98	hA	ap.	2	6
806	Pentstemon campanulatum	bell-flowered, mixed	14	59	140	hP+	div.	6
807	Chandleri	Chandler's	va.	3
808	digitalis	Digitalis-like	w.	3
809	Marshalli (Chelone)	Mr. Marshall's	s.	6
810	Murrayanum	Murray's	6
811	ovatum	ovate	b.	1½	3
812	pulehellum, pl. var.	pretty, mixed	div.	2	3
813	roseum	rose	ro.	3
814	speciosum	showy	l. b.	6
815	Petunia phœnicea	purple	5	25	144	hhP+	p.	3
816	phœnicea alba-major	large white	w.	6
817	— formosa	beautiful	d. p.	6
818	— grandiflora	large-flowered	p.	6
819	— — rosea	rose-coloured	r.	6
820	— striatiflora	striped	str.	6
821	nyctaginiflora	(while)	w.	3
822	Phalocallis plumbea	lead-coloured	3	...	101	hPb	sl.	1½	7-8	6
823	Phascolus Caracalla**	Caracalla	17	45	104	gS	p & y	2	6
824	Phlox Drummondii	Mr. Drummond's	5	25	127	hhA	div.	1½	7-9	6
825	Drummondii alba	white	w.	6
826	— coccinea	scarlet	s.	6
827	— Leopoldiniana	King Leopold's	cr & w	6
828	— oculata alba	white-eyed	l & w	6
829	— — purpurea	purple-eyed	w & p	1 0	...
830	hybrida perennans	hybrid perennial	hP+	div.	2	6
831	Physolobium carinatum**	keel-shaped	10	...	104	gS	s.	4	6-8	6
832	Physostegia speciosa	showy	14	58	103	hP+	pk.	2	6
833	Pimelca decussata	decussate	2	25	147	gS	ro.	3	7-8	6
834	— spectabilis	showy	w & r	4	6
835	Pittosporum viridiflorum	green-flowered	5	...	125	...	gr.	6	5-6	6
836	Platystemon californicus	Californian	13	...	123	hA	y.	1	7-8	6
837	Podolèpis chrysantha*	yellow-flowered	19	54	82	hhA	6
838	gracilis*	slender	pk.	6
839	— alba*	white	w.	6
840	Podotheca capitata	headed	y.	1½	6
841	Poinciana Gilliesii	Dr. Gillies's	10	25	104	gS	...	10	6-9	6
842	puleherrima	most beautiful	sS	r & y.	8	6
843	Poncelctia Sprengelioides	Sprengelia like	5	...	89	fS	...	1	5-7	6
844	Portulaca grandiflora	large-flowered	11	...	130	hhA	y & p.	¼	6-8	6
845	Gilliesii	Dr. Gillies's	r & p.	6
846	Thellusoni	Mr. Thelluson's	cr.	6
847	— coccinea nova	new scarlet	se.	6
848	— striatiflora	striped-flowered	w & r	6
849	— Thorburni	Thorburn's	y.	6
850	— splendens	splendid	r.	6
851	Potentilla formosa	beautiful	12	35	135	hP+	p.	1	7-8	3

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			Li.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.
No.										
852	Potentilla atrosanguinea	dark blood-red	12	35	135	hP†	d. r.	1	7-8	3
853	Garnieriana	Miss Garnier's	y & r	6
854	insignis	beautiful	y.	3
855	Mackayana	Mackay's	y & pk	3
856	puleherrima	most beautiful	y.	6
857	Primula cortusoides	Cortusa-like	5	25	131	p.	1/2	6-8	6	6
858	sincensis (prænitens)	Chinese	gP†	li.	1	5-7	6
859	— alba	white	w.	6
860	— fimbriata	fringed	ro.	1 0
861	— — alba	— white	w.	1 0
862	— — pl. var.	(finest mixed)	w & ro	1 0
863	Psoralea oculata	disk-flowered	17	45	104	gS	va.	2	7-8	6
864	Ramonda pyrenæica	Pyrenean	5	25	144	hP†	p.	1	6-8	6
865	Ranunculus asiaticus	Asiatic (Persian)	13	35	133	hPb	div.	1	6-7	1 0
866	Renealmia corymbosa	bunch-flowered, new	3	25	101	gP	...	2	...	1 0
867	Rhodanthë Manglessii*	Capt. Mangles'	19	54	82	hhA	ro.	1	7-8	6
868	Rhododendron pl. sp.	(finest mixed)	10	25	90	hS	div.	div.	5-7	6
869	Roëlla ciliata	ciliated	5	...	75	fS†	p & w	1	6-10	1 0
870	Rosa pl. sp. et var.	(splendid mixed)	12	35	135	hS	div.	div.	5-10	1 0
871	Rudbeckia bicolor	two-coloured	19	55	82	hP†	y & o	2	7-8	6
872	fulgida	fulgid	y.	6
873	Salpiglossis sinuata	sinuated	14	59	144	hhA	div.	1 1/2	7-9	6
874	sinuata Barelayana	Mr. Barelay's	br.	6
875	— grandiflora nova	new large-flowered	b.	6
876	— picta	painted	va.	6
877	— splendens	splendid	y.	6
878	— striata, nova	new striped	stri.	6
879	— straminea	straw-coloured	stra.	6
880	Salvia azurea	blue	2	25	103	hP†	b.	2	...	6
881	bicolor	two-coloured	r & w	3
882	coccinea	scarlet	hhP†	s.	6
883	leucantha	white-flowered	w.	6
884	pätens	(splendid blue)	b.	3	6
885	pendula	pendulous	hP†	...	2	...	3
886	pratensis	meadow	y.	1	3
887	splendens	splendid	hhP	s.	4	...	6
888	Sanguinaria canadensis	Canadian	13	...	123	hPb	y.	1/2	4-6	6
889	Sanvitalia procumbens	procumbent	19	54	82	hhA	w.	...	7-8	3
890	Saponaria calabrica*	Catabrian	10	26	143	hA	r.	1/2	6-9	6
891	Saussuria pulchella	pretty	19	53	82	hP†	p.	2	7-8	6
892	Saxifraga hypnoides	Moss-like	10	26	138	hP†	va.	1/2	5-6	6
893	Scabiosa columbiana	Pigeon-house	4	25	88	hP	p.	1	7-8	3
894	caucasica	Caucasian	b.	1 1/2	6
895	Schizanthus Grahami	Mr. Graham's	14	59	140	hhA	s & o	2	...	3
896	retusus	blunt-leaved	r & o	3
897	— albus	white	w.	6
898	— superbus	superb	va.	6
899	gracilis nova	slender, new	li.	1 1/2	6
900	humilis*	dwarf	hA	li & e	1	...	3
901	obtusifolius	obtuse-leaved	va.	1 1/4	3
902	pinnatus	pinnated	l.p.y.	3
903	— Priestii	Priest's	w.	3
904	— venustus	beautiful	d.p.y.	3
905	porrigens	spreading	va.	3
906	Schivereckia podolica	Podolian	15	60	85	hP†	w.	1/2	5-7	3
907	Schizopetalon Walkeri*	Walker's	hA	...	3/4	7-8	6
908	Scilla, pl. sp. et var.	(fine mixed)	6	25	105	hPb	b & w	1	5-6	6
909	Scutellaria grandiflora	large-flowered	14	58	103	hP†	r.	1 1/2	7-8	3
910	Scyphanthus elegans**	elegant	18	48	108	hhP†	y.	6	...	6
911	Sedum ceruleum	blue	10	30	84	hA	b.	1/4	...	6

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
912	Sesbànea aculeàta	prickly	17 45	104	sA	y.	4	7-8	6	
913	Silène alpestris	alpine	10 28	143	hP+	w.	$\frac{1}{2}$	5-7	3	
914	compacta	compact	hB+	pk.	1	6-8	3	
915	fimbriàta	fringed	w.	1 $\frac{1}{2}$...	3	
916	ornàta	ornamented	p.	1	...	3	
917	— albà nòva	— white, new	w.	6	
918	pendula	pendulous	hA	ro.	...	7-8	3	
919	picta	painted	pk.	3	
920	règia	regal	hP+	s.	6	
921	Schafta	Schafta	ro.	3	
922	Solànum giganteum	large-flowered	5 25	144	hS	v.	15	6-8	1 0	
923	Sollya heterophylla**	various-leaved	...	125	gS	b.	6	6-9	6	
924	lineàris**	linear	5	...	1 0	
925	Sparaxis pl. sp. et var.	(splendid mixed)	3	...	101	fPb	div.	1	5-6	6
926	Sphenogyne speciosa	showy	19 55	82	hhA	y.	...	7-8	3	
927	Spiraea lobata superba	superb	12 27	137	hP+	r&w.	2	...	6	
928	Statice Pseudo-Armèria	(splendid)	5 30	126	...	pk.	1	...	6	
929	Stenactis speciosa	showy	19 54	82	...	p.	2	...	3	
930	Stèvia purpurea	purple	...	53	1 $\frac{1}{2}$...	3	
931	serrata	serrated	flsh.	3	
932	Stipa pennata	feathered	3 26	98	...	ap.	2	...	6	
933	Sterculia platanifolia	Plane-tree-leaved	21 49	146	T	g.	30	...	6	
934	Strelitzia augusta	august	5 25	116	sPb	w.	10	5-7	1 0	
935	Streptocarpus Rexii	Rex's	2	...	72	gP+	b.	$\frac{1}{2}$	6-8	6
936	Sutherlandia frutescens	frutescent	17 15	104	hS	s.	3	7-8	3	
937	grandiflora	large-flowered	3	
938	Syringa vulgaris	(Lilac)	10 25	b.	8	5-6	6	
939	Tacsonia pinnatifidula**	pinnate-stipuled	16 41	124	gS	ro.	15	6-9	6	
940	splendens**	splendid	sS	1 0	
941	Tagetes lucida	shining	19 54	82	gP+	y.	1	7-8	6	
942	signata	distinguished	hhA	...	1 $\frac{1}{2}$...	3	
943	Telèkia speciosa	showy	hP+	...	4	...	3	
944	Telòpia speciosissima	most-showy	4 25	132	gT	s.	10	5-8	2 6	
945	Tephrosia grandiflora	large-flowered	17 15	104	gS	pk.	4	5-9	6	
946	Thalia dealbata	(aquatic)	1 25	113	gP	b.	...	7-9	6	
947	Thunbergia alata**	winged	2	...	62	gP+	b&d	6	6-9	6
948	alata alba**	white	w&d	6	
949	— aurantiaca**	orange	o&d	6	
950	— Bakèri**	Baker's	w.	6	
951	— mesolucida**	(white-centred)	o&w	6	
952	— sulphurea**	sulphur	sul.	6	
953	Tigridia Pavonia pl. var.	Tiger-flower, mixed	16 38	101	fPb	div.	1	8-10	6	
954	Torènia scabra	rough	14 59	140	gP+	b.	3	6-7	6	
955	Trachèlium cæruleum	blue	5 25	75	hB+	...	2	7-8	3	
956	Tropæolum peregrinum**	(Canary Nasturtion)	8	...	148	hhA	y.	6	...	6
957	brachyceras**	short-horned	gPb	...	4	...	6
958	Jarrattii**	Mr. Jarrett's	s & y	6	
959	Lobbiànum**	Lobb's	hhA	o.	6	
960	Moritzianum**	Moritz's	gA ?	s & y	6	
961	pentaphyllum**	five-leaved	gPb	o&y	6	
962	hybridum**	hybridised	div.	1 0	
963	speciosum**	showy	gA ?	s.	6	
964	tricolorum**	three-coloured	hPb	o & p	6	
965	Smithianum**	Smith's	hhA ?	o.	6	
966	Tùlipa Gesneriana pl. var.	Gesner's, mixed	6	...	105	hPb	div.	1 $\frac{1}{2}$	6-7	6
967	Tweedia cærulea**	blue	5 26	68	hP	b.	4	7-9	6	
968	Verbascum spectabile	showy	...	25	144	y & p	2	7-8	3	
969	formosum	beautiful	y.	3	
970	Verbena Aubletia	Aublet's	14 59	153	hhB+	...	1	6-9	3	
971	Drummondii	Mr. Drummond's	li.	6	

<i>A— indicates a variety. () That the word is not literally translated, or is superadded.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
972	Verbena pulchella	<i>pretty</i>	14	59	153	hhB+	p.	1½	6-9	3
973	pulchella geraniæfolia	<i>Geranium-leaved</i>	r.	3
974	pulcherrima	<i>most beautiful</i>	d. r.	3
975	venôsa	<i>veiny</i>	hhP+	ro.	1	...	3
976	Verónica speciosa	<i>showy</i>	2	25	140	gS	p.	3	6-8	6
977	Vinca rosea	<i>rose</i>	5	...	66	sS	ro.	1	3-9	6
978	roseo-alba	<i>white</i>	w.	6
979	Viola odorata	<i>Sweet Violet</i>	154	hP+	p.	...	5-7	3
980	odorata semperflorens	<i>(Russian do.)</i>	5-10	6
981	persicifolia	<i>peach-leaved</i>	crea.	...	6-7	3
982	suavis	<i>fragrant</i>	b.	½	...	6
983	Virgilia capeensis	<i>Cape</i>	10	...	104	gS	p&w	4	7-9	6
984	Viscaria Cœli-rosa	<i>Rose of Heaven</i>	...	30	143	hA	flsh.	1	7-8	3
985	oculata	<i>(dork-eyed)</i>	ro.	3
986	— alba	<i>white</i>	w.	3
987	— rubra	<i>red</i>	r.	3
988	— nana	<i>dwarf</i>	½	...	3
989	Wahlenbergia lobelioides	<i>Lobelia-like</i>	5	25	75	...	b.	6
990	Watsonia, sp.	<i>(fine species)</i>	3	...	101	flPb	ro.	2½	7-9	6
991	Yucca aloëfolia	<i>Aloe-leaved</i>	6	...	105	fS	w&g	3	8-10	6
992	Zauschneria californica	<i>Californian</i>	8	...	121	...	s.	1½	7-9	6
993	Zieria Smithii	<i>Smith's</i>	4	...	136	gS	y.	3	5-7	6
994	Zinnia elegans	<i>elegant</i>	19	54	82	hhA	v.	2	7-10	6
995	— elegans alba	<i>— white</i>	w.	6
996	— atrovioletacea	<i>— dork violet</i>	d. v.	6
997	— aurantiaca	<i>— orange</i>	o.	6
998	— coccinea	<i>— scarlet</i>	s.	6
999	— — major	<i>— — large</i>	6
1000	— flava	<i>— yellow</i>	y.	6
1001	— kermesina	<i>— crimson</i>	cr.	6
1002	— purpurea	<i>— purple</i>	p.	6
1003	— rosea	<i>— rose-coloured</i>	ro.	6
1004	— sanguinea	<i>— blood-red</i>	d. r.	6
1005	— straminea	<i>— straw-coloured</i>	stra.	6
1006	Zygophyllum Fabago	<i>Fabago or Beon Caper</i>	10	25	156	hP	o&w	4	7-8	6

The following plants are best known by the Popular Names, but as the Scientific Name is also necessary to show the genus to which they belong, it is also given. Such Popular Names as Convolvulus Minor, Flos Adonis, White Candytuft, Columbine, &c., have little or no affinity with the Latin, and are not to be considered as translations.

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1007	Aster, Chinese, mixed	<i>Aster chinensis, pl. var.</i>	19	54	82	hhA	div.	1½	8-10	3
1008	quilled German	<i>chinensis fimbriatus</i>	6
1009	— globe-flowered	— <i>globularis</i>	6
1010	— variegated	— <i>variegatus</i>	6
1011	Perfection, new ex.	— <i>pæoniæformis</i>	1 0
1012	— blue	— <i>cæruleus</i>	b.	6
1013	— blue & white	— <i>cæruleo-albus</i>	b & w	6
1014	— rose	— <i>roseus</i>	ro.	6
1015	— white	— <i>albus</i>	w.	6
1016	pyramidal	— <i>pyramidalis</i>	div.	3
1017	— new	— <i>novus</i>	6
1018	Turkey, 2 var.	— <i>turcicus</i>	r & p	3
1019	dwarf	— <i>nanus</i>	div.	1	7-9	3
1020	Nos. 1007 to 1019	— — —	2&1	7-10	5 0

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1021	Auricula, fine alpine	<i>Primula Auricula</i>	5	25	131	hP	div.	...	5-7	6
1022	finest prize	— — —	fP	6
1023	Balsam, fine double, m.	<i>Balsamina hortensis, fl. pl.</i>	69	tA	...	2	6-9	6
1024	double crimson	<i>hortensis kermesina</i>	er.	3
1025	— pure white	— <i>alba pura</i>	w.	3
1026	— purple	— <i>purpurea</i>	p.	3
1027	— new sulphur	— <i>sulphurea nova</i>	sul.	6
1028	— rose	— <i>rosea</i>	ro.	3
1029	— scarlet	— <i>coccinea</i>	s.	3
1030	— scarlet-shaded	— — <i>rosea</i>	s. sh.	3
1031	— spotted, 3 var.	— <i>punctata</i>	spot.	6
1032	— striped, 4 var.	— <i>striata</i>	stri.	6
1033	— variegated	— <i>variegata</i>	va.	3
1034	Nos. 1023 to 1033	— — —	div.	3 0
1035	Camellia-fl., m.	— <i>Camelliaeflora</i>	6
1036	— blue	— — <i>cærulea</i>	b.	3
1037	— crimson	— — <i>kermesina</i>	er.	3
1038	— carmine	— — <i>minuta</i>	car.	3
1039	— rose-coloured	— — <i>rosea</i>	ro.	3
1040	— pale	— — <i>pallida</i>	3
1041	— violet	— — <i>violacea</i>	v.	3
1042	Nos. 1035 to 1041	— — —	div.	1 6
1043	Candytuft, fragrant*	<i>Iberis odorata</i>	15	60	85	hA	w.	1	...	3
1044	purple*	— <i>umbellata</i>	p.	3
1045	Rocket*	— <i>coronata</i>	w.	3
1046	rose*	— <i>rosea</i>	ro.	3
1047	white*	— <i>amara</i>	w.	3
1048	Canterbury Bell, pur.	<i>Campanula Medium</i>	5	25	75	hP†	p.	3	6-8	3
1049	lilac	— <i>Medium lilacina</i>	li.	3
1050	white	— <i>alba</i>	w.	3
1051	double purple	— <i>flöre-pleno</i>	p.	3
1052	— white	— — <i>alba</i>	w.	3
1053	Capsicum, fine mixed	<i>Capsicum, pl. sp. & var.</i>	144	tA	...	1½	...	6
1054	Carnation & Picotee, d.	<i>Dianthus Caryophyllus pl.</i>	10	26	143	hP	div.	2	6-9	1 0
1055	extra fine double	<i>Caryophyllus, var. fl. pl.</i>	hhP	2 6
1056	Catchfly, Lobel's, 2 v.*	<i>Silene Armeria</i>	hA	r & w	1	6-7	3
1057	Chrysanthemum tricol.	<i>Chrysanth. carinatum</i>	19	54	82	...	3col.	...	6-10	3
1058	new yellow	— <i>carinatum luteum</i>	y.	3
1059	showy	— <i>speciosum</i>	6-9	3
1060	yellow	— <i>coronarium</i>	3	7-9	3
1061	white	— <i>album</i>	w.	3
1062	Clary, purple	<i>Salvia Horminum</i>	2	25	103	...	p.	1	7-8	3
1063	red	— <i>Horminum rubra</i>	r.	3
1064	Cockseomb, crimson	<i>Celosia cristata, nana</i>	5	...	63	tA	er.	3
1065	dwarf yellow	— <i>cristata lutea nana</i>	y.	6
1066	tall scarlet	— <i>coccinea major</i>	s.	1½	...	6
1067	mixed tall	— <i>major, pl. var.</i>	div.	6
1068	Columbine, double	<i>Aquilegia vulgaris, fl. pl.</i>	13	30	133	hP†	b.	2	6-8	3
1069	double mixed	— <i>vulgaris, pl. var.</i>	div.	3
1070	Convolv. major, m.**	<i>Ipomæa purpurea, pl. var.</i>	5	25	83	hhA	...	10	7-10	3
1071	splendid, 20 var.**	— <i>purpurea, 20 var.</i>	1 0
1072	beautiful**	— <i>formosa</i>	pk.	3
1073	crimson**	— <i>kermesina</i>	er.	3
1074	dark blue**	— <i>atrocærulea</i>	d. b.	3
1075	dark purple**	— <i>atropurpurea</i>	d. p.	3
1076	dark red**	— <i>atrorubens</i>	d. r.	3
1077	dark violet**	— <i>atroviolacea</i>	d. v.	3
1078	flesh-coloured**	— <i>carnea</i>	flsh.	3
1079	large blue**	— <i>cærulea grandiflora</i>	b.	3
1080	large-flowered, m.**	— <i>grandiflora, pl. var.</i>	div.	3

<i>A — s employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1081	Convolv. major, red**	<i>Ipomœa purpurea, rubella</i>	5	25	83	hA	l. r.	10	7-10	3
1082	lilac & red**	<i>purpurea lilacino-rubra</i>	li & r	3
1083	milk-white**	— <i>lactea</i>	w.	3
1084	mulberry**	— <i>moricolor</i>	br. r.	3
1085	rose**	— <i>rosea</i>	ro.	3
1086	spotted**	— <i>punctata</i>	spot.	3
1087	striped**	— <i>striata</i>	stri.	3
1088	violet**	— <i>violacea</i>	v.	3
1089	white**	— <i>alba</i>	w.	3
1090	red striped**	— <i>rubro-striata</i>	stri.	3
1091	Convolvulus minor	<i>Convolvulus tricolor</i>	hA	b.	1	6-9	3
1092	azure	<i>tricolor azureus</i>	az.	3
1093	dark purple	— <i>atropurpureus</i>	d. p.	3
1094	large-flowered	— <i>grandiflorus</i>	p.	3
1095	lilac	— <i>lilacinus</i>	li.	3
1096	striped	— <i>striatus</i>	stri.	3
1097	violet	— <i>violaceus</i>	v.	3
1098	white & yellow	<i>bicolor</i>	w & y	3
1099	Cowslip, finest mixed*	<i>Primula clatior, pl. var.</i>	131	hP†	div.	$\frac{3}{2}$	3-7	3
1100	Cyanus, sky-lilac	<i>Centaurea Cyanus</i>	19	55	82	hA	b.	$\frac{3}{2}$	6-9	3
1101	fine mixed	<i>Cyanus, pl. var.</i>	div.	3
1102	Egg Plant, purple	<i>Solanum ovigerum</i>	5	25	144	tA	fr. p.	...	7-8	3
1103	white	<i>ovigerum leucocarpum</i>	fr. w.	3
1104	Flos Adonis	<i>Adonis autumnalis</i>	13	35	133	hA	s.	1	6-8	3
1105	Fraxinella, white	<i>Fraxinella rubra</i>	10	25	136	hP	w.	3	7-9	3
1106	red	<i>Fraxinella rubra</i>	r.	3
1107	French Honeysuckle	<i>Hedysarum coronarium</i>	17	45	104	hB†	s.	2	7-8	3
1108	white	<i>coronarium album</i>	w.	3
1109	Globe Amaranthus, p.	<i>Gomphrena globosa</i>	5	25	63	tA	p.	$2\frac{1}{2}$	7-9	3
1110	Gourd, Bottle	<i>Cucurbita Lagenaria</i>	21	49	86	fA	w.	trai	...	6
1111	Bottle, large	<i>Lagenaria major</i>	6
1112	— Corsican	— <i>corsicana</i>	6
1113	— Hercules' Club	— <i>clava-Herculis</i>	6
1114	— Powder Horn	— <i>cornuta</i>	6
1115	— siphon-shaped	— <i>siphonoides</i>	6
1116	Custard	<i>Melopæpo, var.</i>	y.	3
1117	Electer's Bonnet	— <i>var.</i>	3
1118	Manimoth	<i>Pæpo maxima</i>	3
1119	orange	<i>aurantia</i>	3
1120	large	— <i>major</i>	3
1121	Pear-shaped	<i>ovifera pyriformis</i>	3
1122	Turban	<i>Melopæpo tiaraformis</i>	3
1123	Snake	<i>Cucumis flexuosus</i>	3
1124	Gooseberry	<i>sp. grossulariæformis</i>	3
1125	Hawkweed, red	<i>Cræpis rubra</i>	19	53	82	hA	r.	1	7-8	3
1126	white	<i>rubra alba</i>	w.	3
1127	yellow	<i>Tolpis barbata</i>	y.	3
1128	silvery	<i>barbata argentea</i>	sil.	3
1129	Heartsease (Pansy), ex.	<i>Viola tricolor, hybrida</i>	5	25	154	hP†	div.	...	6-10	1 0
1130	Hollyhock, Antwerp	<i>Alliæa fiefolia</i>	16	48	112	hP	or.	7	7-9	3
1131	rose	<i>rosea</i>	ro.	3
1132	black	— <i>nigra</i>	blk.	3
1133	crimson	— <i>kermesina</i>	cr.	3
1134	purple	— <i>purpurea</i>	p.	3
1135	red	— <i>rubra</i>	r.	3
1136	white	— <i>alba</i>	w.	3
1137	yellow	— <i>flava</i>	y.	3
1138	Chinese	<i>chinensis</i>	hA	v.	2	...	3
1139	— purple	— <i>purpurea</i>	p.	3
1140	— red & white	— <i>rubro-alba</i>	r & w	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet	s. d.	
1141	Honesty (Satin-flower)	<i>Lunaria biennis</i> , 2 var.	15	60	85	hB+	li & w	3	5-6	3
1142	Honeywort, large & sm.	<i>Cerinth major et minor</i>	5	25	73	hA	y & p	28-1	7-8	3
1143	Horn Poppy, scarlet	<i>Glaucium phœniceum</i>	13	...	123	...	s.	2	...	3
1144	yellow	<i>flavum</i>	y.	3
1145	violet	<i>Ranuncula hybrida</i>	v.	3
1146	Ice Plant	<i>Mesembryanthemum crystallinum</i>	12	27	92	hA	w.	trai	7-9	3
1147	Jacobæa, double	<i>Senecio elegans</i> , fl. pl.	19	54	82	hA	blsh.	1½	...	3
1148	crimson	<i>elegans kermesina</i>	cr.	3
1149	dark grey	<i>atrocinerea</i>	d. gy	3
1150	mulberry	<i>maricolor</i>	br. r.	3
1151	purple	<i>purpurea</i>	p.	3
1152	red	<i>rubra</i>	r.	3
1153	rose	<i>rosea</i>	ro.	3
1154	violet	<i>violacea</i>	v.	3
1155	white	<i>alba</i>	w.	3
1156	Larkspur, d. m.	<i>Delphinium Ajacis humile</i>	13	28	133	...	div.	¾	7-8	3
1157	dwarf, German, m.*	<i>Ajacis humile</i> , var.	6
1158	— blue	<i>humile caeleste</i>	b.	3
1159	— hyacinth-fl.	<i>hyacinthiflorum</i>	div.	6
1160	— new striped	<i>striatum novum</i>	stri.	6
1161	— rose	<i>roseum</i>	ro.	3
1162	— unique	<i>bicolor</i>	w & ro	3
1163	— white	<i>album</i>	w.	3
1164	tall German, m.	<i>elatior</i> , pl. var.	div.	1½	...	3
1165	superb branching	<i>Consolida</i> , pl. var.	2	...	6
1166	— blue	<i>cæruleum</i>	b.	3
1167	— rose	<i>roseum</i>	ro.	3
1168	Lavatera, red	<i>Lavatera trimestris</i>	16	48	112	3	...	3
1169	white	<i>trimestris alba</i>	w.	3
1170	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	63	...	r.	tra.	...	3
1171	pale buff	<i>caudatus pallidus</i>	bff.	3
1172	Lupinus, Dutch	<i>Lupinus canaliculatus</i>	16	45	104	...	b.	2	...	3
1173	large blue	<i>hirsutus</i>	3
1174	large rose	<i>pilosus</i>	r.	3
1175	small blue	<i>angustifolius</i>	b.	1½	...	3
1176	yellow	<i>luteus</i>	y.	3
1177	straw-coloured	<i>stramineus</i>	stra	3
1178	white	<i>albus</i>	w.	2	...	3
1179	Marigold, French, dw.	<i>Tagetes patula nana</i> , fl. pl.	19	54	82	hA	br.	1	7-9	3
1180	superb striped	<i>patula striata superba</i>	stri.	1½	...	6
1181	unique	<i>variegata</i>	y & br	3
1182	very dwarf	<i>nanissima</i>	br.	½	...	6
1183	— yellow, new	<i>lutea nova</i>	y.	6
1184	African, lemon, d.	<i>erecta citrina</i> , fl. pl.	lem.	2	...	3
1185	— orange	<i>aurantiaca</i>	o.	3
1186	— very double	<i>plenissima</i>	o & y	3
1187	Cape	<i>Calendula pluvialis</i>	...	56	...	hA	w & p	1	...	3
1188	hybrid	<i>hybrida</i>	w.	3
1189	double garden	<i>officinalis</i> , fl. pl.	o.	3
1190	star-flowered	<i>stellata</i>	3
1191	Marvel of Peru, red	<i>Mirabilis Jalapa rubra</i>	3	25	117	hB+	r.	2	6-8	3
1192	gold-striped	<i>Jalapa aureo-striata</i>	stri.	3
1193	silver-striped	<i>argenteo-striata</i>	3
1194	superb, new	<i>superba nova</i>	6
1195	variegated	<i>variegata</i>	va.	3
1196	white	<i>alba</i>	w.	3
1197	yellow	<i>flava</i>	y.	3
1198	sweet-scented	<i>longiflora</i>	w.	3
1199	— new purple	<i>purpurea</i>	p.	3
1200	Mignonette (oz. 6d.)	<i>Reseda odorata</i>	11	28	134	hA	bff.	1	6-9	3

<i>A — is employed to indicate varieties.</i>		L.Cl.	L.O.	N.O.	H. Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price.
No.									s. d.
1201	Mignonette, new large	<i>Reseda odorata</i>	11 28	134	hA	bff.	1	6-9	6
1202	Nasturtion, new dwarf	<i>Tropaeolum minus</i>	8 43	148	...	y & r	tra	6-9	3
1203	three-spotted	<i>minus tripunctatum</i>	spot.	3
1204	dwarf scarlet	<i>— dubium coccineum</i>	se.	1	...	3
1205	tall orange	<i>Majus aurantiacum**</i>	o.	5	...	3
1206	— earmine	<i>— miniatum**</i>	car.	3
1207	— dark crimson	<i>— atrosanguineum**</i>	d. r.	3
1208	— Shilling's	<i>— venustum**</i>	y & r	3
1209	Palma Christi, major	<i>Ricinus major**</i>	21 49	91	hhA	pale	6	...	3
1210	Pea, Lord Anson's**	<i>Lathyrus magettanicus</i>	17 45	104	hP+	b.	...	7-8	3
1211	Tangier**	<i>tingitanus</i>	hA	s.	4	...	3
1212	— striped**	<i>— striatus</i>	stri.	3
1213	winged	<i>Lotus tetragonolobus</i>	y.	1	...	3
1214	Pea, Sweet, m. (lb. 2s.)	<i>Lathyrus odoratus</i> pl. va.	div.	4	6-8	3
1215	black**	<i>odoratus niger</i>	bik.	3
1216	painted Lady**	<i>— pictus</i>	va.	3
1217	purple**	<i>— purpureus</i>	p.	3
1218	— striped**	<i>— striatus</i>	stri.	3
1219	scarlet**	<i>— coccineus</i>	s.	3
1220	striped**	<i>— striatus</i>	stri.	3
1221	white**	<i>— albus</i>	w.	3
1222	Persicaria, red	<i>Polygonum orientale</i>	8 28	129	...	r.	...	7-8	3
1223	white.	<i>orientale album</i>	w.	3
1224	Polyanthus, fine	<i>Primula cation polyantha</i>	5 25	131	hP+	div.	1/2	5-7	6
1225	extra fine	— — —	1 0
1226	Poppy, double	<i>Papaver somniferum</i> fl. pl.	13 25	123	hA	bik.	2	7-8	3
1227	Carnation	<i>somniferum</i> var.	flsh.	3
1228	fringed	<i>— fimbriatum</i>	s.	3
1229	scarlet	<i>— coccineum</i>	3
1230	striped	<i>— striatum</i>	r & w	3
1231	white	<i>— album</i>	w.	3
1232	new hybrid, 30 v.	<i>— hybridum novum</i>	div.	6
1233	Paeony-fl., 30 v.	<i>— paeoniaeflorum</i>	6
1234	superb, 20 var.	<i>— superbum</i>	6
1235	dwarf French, dou.	<i>Rheas, fl. pleno</i>	1	...	3
1236	scarlet, do.	<i>— coccineum</i>	s.	3
1237	Primrose, common	<i>Primula vulgaris</i>	5 ...	131	hP+	y.	1/2	5-7	3
1238	Prince's Feather, large	<i>Amaranthus speciosus</i>	21 40	63	hA	p.	2	7-9	3
1239	common	<i>hypochondriacus</i>	3
1240	Quaking Grass	<i>Biza maxima</i>	3 26	98	...	ap.	1	...	3
1241	slender	<i>gracilis</i>	3
1242	Rocket, purple	<i>Hesperis matronalis</i>	15 61	85	hP+	p.	...	5-8	3
1243	sweet	<i>tristis</i>	w.	3
1244	Rose Campion	<i>Lychnis coronaria</i>	10 31	143	...	cr.	2 1/2	6-9	3
1245	Scabions, dwarf	<i>Scabiosa nana</i>	4 25	88	hA	div.	1	7-9	3
1246	dark purple	<i>atropurpurea</i>	hP+	p.	2	...	3
1247	splendid German	<i>— major, pl. var.</i>	hA	div.	6
1248	Sensitive Plant	<i>Mimosa sensitiva</i>	23 51	104	fS	pk.	...	6-9	6
1249	Stock, Ger., 10-week m.	<i>Mathiola an. densiflora</i>	15 61	85	hhA	div.	1	...	6
1250	German carmine	<i>annua densiflora, min.</i>	car.	6
1251	— azure	<i>— densiflora azurea</i>	az.	6
1252	— crimson	<i>— kermesina</i>	cr.	6
1253	— dark carmine	<i>— atro-miniata</i>	d. cr.	6
1254	— dark crimson	<i>— atro-kermesina</i>	d. p.	6
1255	— dark purple	<i>— atropurpurea</i>	l. b.	6
1256	— light blue	<i>— tete-cerulea</i>	p. ro.	6
1257	— pale rose	<i>— rosea pallida</i>	ro.	6
1258	— rose	<i>— rosea</i>	eop.	6
1259	— shining bronze	<i>— cuprea fulgens</i>	sul.	6
1260	— sulphur, new	<i>— sulphurea nova</i>	6

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
No.								feet		s. d.
1261	Stock, Ger., variable	<i>Malhiola a. d. variabilis</i>	15	61	85	hhA	w&b	1	6-9	6
1262	— violet	<i>annua densiflora viv.</i>	v.	6
1263	— white	— <i>alba</i>	w.	6
1264	large-flowd. Ger. m.	— <i>grandiflora pl. var.</i>	div.	6
1265	— carmine	— <i>miniata</i>	car.	6
1266	— blue	— <i>cærulea</i>	b.	6
1267	— dark carmine	— <i>atro-miniata</i>	d.car	6
1268	— light blue	— <i>cærulescens</i>	l. b.	6
1269	— purple	— <i>purpurea</i>	p.	6
1270	— rose	— <i>røsea</i>	ro.	6
1271	— white	— <i>alba</i>	w.	6
1272	new dwarf Ger. m.	— <i>nana nova pl. var.</i>	div.	$\frac{1}{2}$...	6
1273	— carmine	— <i>miniata</i>	car.	6
1274	— chestnut	— <i>castanea</i>	br.	6
1275	— copper	— <i>cyprea</i>	cop.	6
1276	— dark blue	— <i>cærulea</i>	b.	6
1277	— flesh-coloured	— <i>carnea</i>	fish.	6
1278	— white	— <i>alba</i>	w.	6
1279	Ten-week, Eng., m.	— <i>ramosa pl. var.</i>	div.	$1\frac{1}{2}$...	3
1280	— purple	— <i>purpurea</i>	p.	3
1281	— scarlet	— <i>coccinea</i>	s.	3
1282	— Victoria	— <i>alotropurpurea</i>	d. p.	6
1283	— white	— <i>alba</i>	w.	3
1284	— pyramidal	— <i>pyramidalis</i>	3
1285	Wall-flow.-leav., m.	— <i>cheirifolia</i>	div.	1	...	3
1286	— purple	— <i>purpurea</i>	p.	3
1287	— scarlet	— <i>coccinea</i>	s.	3
1288	— white	— <i>alba</i>	w.	3
1289	Intermediate, m.	— <i>intermedia pl. var.</i>	div.	$1\frac{1}{2}$	8-10	3
1290	— carmine	— <i>miniata</i>	car.	6
1291	— scarlet	— <i>coccinea</i>	s.	6
1292	— crimson	— <i>kermesina</i>	cr.	6
1293	— dark violet	— <i>atroviolacea</i>	d. v.	6
1294	— light blue	— <i>læte-cærulea</i>	l. b.	6
1295	— rose	— <i>røsea</i>	r.	6
1296	— white	— <i>alba</i>	w.	6
1297	Queen, mixed	— <i>incana pl. var.</i>	hhB	div.	$1\frac{1}{2}$	5-7	3
1298	— purple	— <i>purpurea</i>	p.	3
1299	— scarlet	— <i>coccinea</i>	s.	3
1300	— white	— <i>alba</i>	w.	3
1301	Imperial, m.	— <i>semperflorens pl. var.</i>	hhPf	div.	...	5-10	6
1302	— blue	— <i>cærulea</i>	b.	6
1303	— crimson	— <i>kermesina</i>	cr.	6
1304	— purple	— <i>purpurea</i>	p.	6
1305	— lilac	— <i>tilacina</i>	li.	6
1306	— rose	— <i>røsea</i>	r.	6
1307	— white	— <i>alba</i>	w.	6
1308	Brompton, m.	— <i>simplicicaulis pl. var.</i>	hhB	div.	$2\frac{1}{2}$	5-7	6
1309	— purple	— <i>purpurea</i>	p.	3
1310	— scarlet	— <i>coccinea</i>	s.	3
1311	— white	— <i>alba</i>	w.	3
1312	Sunflower, double, tall	<i>Helianthus annuus fl. pl.</i>	19	55	82	hA	y.	6	7-8	3
1313	globe-flowered	<i>annuus globularis</i>	3
1314	double dwarf	<i>indicus flore-pleno</i>	2	...	3
1315	Californian species	<i>sp. ex. californica</i>	4	...	6
1316	Sweet Briar	<i>Rosa rubiginosa</i>	12	35	135	hS	pk.	5	5-7	3
1317	Sweet Sultan, fine	<i>Centaurea moschata</i>	19	55	82	hhA	p.	2	7-8	3
1318	white	<i>moschata alba</i>	w.	3
1319	yellow	<i>suavifolens</i>	y.	$1\frac{1}{2}$...	3
1320	Venus'-Looking-Glass	<i>Prismatocarpus Spéculum</i>	5	25	75	hA	b.	$\frac{3}{4}$...	3

No.							feet	s. d.	
1321	Venus'-Navel-wort	<i>Cynoglossum linifolium</i>	5	25	73	hA	w. $\frac{3}{4}$	7-8	3
1322	Virginian Stock, red	<i>Malcolmia maritima</i>	15	61	85	...	li. $\frac{1}{2}$	6-7	3
1323	white	<i>maritima alba</i>	w.	3
1324	Wallflower, dark	<i>Cheiranthus Cheiri</i>	hS	br. 2	5-9	3
1325	yellow	<i>Cheiri flavus</i>	y.	3
1326	double dark	<i>— flore-pl. hænianthus</i>	d. r.	6
1327	— blue	<i>— — cæruleus</i>	b.	6
1328	— branching	<i>— — ramosus</i>	br.	6
1329	— Giant	<i>— — giganteus</i>	d. br. 3	...	6
1330	— violet	<i>— — violaceus</i>	v. 2	...	6
1331	— yellow	<i>— — flavus</i>	y.	6
1332	— dwarf	<i>— — nanus</i>	br. 1	...	6
1333	Winter Cherry	<i>Physalis Atkekengi</i>	5	25	144	hA	w. 2 $\frac{1}{2}$	7-10	3
1334	Xeranthemum, double	<i>Xeranthem. annuum fl. pl.</i>	19	54	82	...	p. 2	7-9	3
1335	double white	<i>annuum album pl.</i>	w.	3
1336	Zinnia, golden	<i>Zinnia aurea</i>	y.	3
1337	common red	<i>multiflora</i>	r.	3

MIXED PACKETS OF FLOWER SEEDS.

A few of the following Seeds, Nos. 1338 to 1454, are also in the body of the Catalogue, but for convenience they are repeated. Explanations:—f. frame; g. greenhouse; s. stove; h. hardy; hh. half-hardy; t. tender;—A. Annual; B. Biennial; P. Perennial; S. Shrub; Pb. Bulbous plant.—* proper for edgings; ** climbing Plants.

No.	s.d.	No.	s.d.	No.	s.d.	No.	s.d.
1338		1377		1416			
1339		1378		1417			
1340		1379		1418			
1341		1380		1419			
1342		1381		1420			
1343		1382		1421			
1344		1383		1422			
1345		1384		1423			
1346		1385		1424			
1347		1386		1425			
1348		1387		1426			
1349		1388		1427			
1350		1389		1428			
1351		1390		1429			
1352		1391		1430			
1353		1392		1431			
1354		1393		1432			
1355		1394		1433			
1356		1395		1434			
1357		1396		1435			
1358		1397		1436			
1359		1398		1437			
1360		1399		1438			
1361		1400		1439			
1362		1401		1440			
1363		1402		1441			
1364		1403		1442			
1365		1404		1443			
1366		1405		1444			
1367		1406		1445			
1368		1407		1446			
1369		1408		1447			
1370		1409		1448			
1371		1410		1449			
1372		1411		1450			
1373		1412		1451			
1374		1413		1452			
1375		1414		1453			
1376		1415		1454			

HARDY BULBS.

		s. d.
Amaryllis lutea, yellow	per doz.	2 6
— formosissima, finest	"	5 6
Anemone, <i>spectabilis</i> new double	per 100	25 0
— Emperor Alexander, variegated crim.	doz.	2 6
— Feu Superbe, scarlet	"	2 6
— l'Ornement de la Nature, blue	"	2 6
— La Beauté Suprême, var. rose	"	2 6
— Lord High Admiral, crimson	"	2 6
— Double mixed, extra fine	per lb.	6 0
— Double scarlet, ditto	"	10 0
— Single scarlet	"	8 0
— Hortensis, 50 fine varieties	for	12 0
— double red	per doz.	3 0
— hybrid scarlet	"	3 0
— scarlet or flame	"	2 6
— Crinum capense (Amaryllis longifolia)	"	1 0
— capense albidiflorum	"	1 0
Dahlia (April or May)	gs. to	18 0
Geranium tuberosum	each	0 9
Gladiolus blandus, pretty	"	1 0
— brevifolius, short-leaved	"	1 0
— concolor, self-coloured	"	1 0
— crispiflorus, curled-flowered	"	1 0
— calceatus, helmeted	"	1 0
— hirsutus, hairy	"	1 0
— hybridus elegans, elegant	"	1 0
— trimaculatus, 3-spotted	"	1 0
— undulatus, waved	"	1 0
— versicolor, various-coloured	"	1 0
New Seedling Gladioli.	each	
Abd'el Kader, orange, white spots	"	2 6
Cocineus Verus, red, purple spots	"	2 0
Delicentse, orange, purple spots	"	3 6
Duchesse d'Orleans, red, white spots	"	1 6
Elegantissimus, purple, white spots	"	3 0
Ernst Maltravers, striped orange	"	2 6
Fanny Elsler, rose	"	1 0
Graf van Nassau, rose, purple spots	"	2 6
Königin der Nederlanden, tipt	"	2 0
La Gaicte, scarlet, white spotted	"	3 6
Lindleyanus, orange	"	2 6
Lisette, rose, blue spots	"	1 6
Lord Auckland, cherry, spotted	"	1 6
Lord Byron, scarlet, white spots	"	2 0
Lord Dudley, cherry, blue spots	"	2 0
Lord Palmerston, rose, white spots	"	2 0
l'Unique, dark red, striped	"	3 6
Marianne, scarlet, striped	"	1 6
Orange Boven, striped orange	"	1 6
Prince of Wales, fine red, striped	"	2 0
Prince of Waterloo, spotted orange	"	2 0
Queen of England, carmine	"	1 0
Rouge Eblouissante, lilac	"	1 6
Sertorius, scarlet, white spots	"	1 6
12 fine varieties, selected.	"	25 0
Gladiolas for Clumping.	per doz.	
Gladiolus cardinalis, scarlet	"	3 6
— Colvilli, Colville's	"	3 6
— formosissimus, fine red	"	7 0
— gundaveusis, scarlet and yellow	"	7 0
— insignis, dark carmine, spotted	"	7 0
— oppositiflorus, white and rose	"	3 0
— Victoria, bright scarlet	"	7 0
— 6 of each of the above	"	17 0
— 3 of do. do.	"	9 6
Iris Pavonia, Peacock Iris	doz.	2 6
— susiana, Susan	"	3 0
— tuberosa, toberons	"	3 0
— sp. fragrant, Brasils	each	1 6
Lilium speciosum, rubrum, red, sm.	1 s. 6d.	3 6
— album, white	" 1s.	3 0
— punctatum, spotted	" 2s. 6d.	5 0
Pancratium illyricum, Hythian	"	1 6
Pæonia chinensis, Chinese	"	1 6
— frâgrans, fragrant	"	1 6
Ranunculus, Persian, named	100	20 0
— finest mixed, 50 varieties	"	7 0
— 100 new Scotch, separate	"	40 0
— Turban, scarlet	"	2 6

HARDY BULBS (continued).

Ranunculus, Turban d'Or, orange	100	s. 5
— Scraphique, citron	"	6 0
— yellow (Merveilleuse)	"	3 0
— crimson purple	doz.	3 0
— Hercules, white	"	3 0
— Picotee Annable, spotted	"	2 6
— Prince de Galatzin, variegated	"	1 6
— red marbled	"	2 9
— scarlet Star	"	2 6
— suaveolens, fragrant	"	1 6
1 doz. of each of the above 7 sorts		13 0
do. do.		7 0
Tigridia Pavonia (plant in April)	"	2 0
— conchiflora do.	"	2 6
— superba do.	"	3 0
Tuberose, double (require heat)	"	4 0

GREENHOUSE BULBS.

<i>Amaryllis sulica, conolly</i>	each	3 6
— <i>calyptrata, veiled</i>	"	5 0
— <i>coranica (Brunsvigia)</i>	"	5 0
— <i>crocata, orange</i>	"	3 0
— <i>grandiflora, large-flowered</i>	"	3 6
— <i>superba, superb</i>	"	5 0
— <i>falcata (Brunsvigia)</i>	"	5 0
— <i>Johnsoni, Johnson's</i>	"	4
— <i>Josephine (Brunsvigia)</i>	"	10 0
— <i>orientalis (Brunsvigia multiflora)</i>	"	6 0
— <i>purpurea (Vallota purpurea)</i>	"	1 6
— <i>species with large red flowers</i>	"	3 6
— <i>red with green stripes</i>	"	3 6
— <i>Rio Negro, red-brown</i>	"	3 6
— <i>white, red striped</i>	"	5 0
<i>Chlidanthus fragrans, fragrant</i>	"	1 6
<i>Cinnam revolutum, revolute</i>	"	2 6
— <i>sp. fragrant, Rio de Janeiro</i>	"	3 6
<i>Cyrtanthus odoratus, fragrant</i>	"	5 0
— <i>obliquus, oblique-leaved</i>	"	5 0
— <i>flattent species</i>	"	5 0
<i>Drimys, species Cape</i>	"	3 6
<i>Fernaria undulata, waned</i>	"	1 6
<i>Fesneria, sp. Rio de Janeiro</i>	"	2 6
— <i>do, large red do.</i>	"	3 6
<i>Gloxinia, forest mixed, doz. 10s. 6d.</i>	"	1 0
<i>Griffinia, sp. dark blue flowers</i>	"	5 0
— <i>sp. light blue</i>	"	2 0
<i>Hæmanthus, 4 fine species, 7s. 6d.</i>	"	7 0
<i>Pentlandia minima, crimson</i>	"	2 6
<i>Satyrium, sp. Cape</i>	"	2 6
<i>Tropeolum azureum, azure</i>	"	3 6
— <i>brachyceras, short-horned</i>	"	2 0
— <i>tricolorum, three-coloured</i>	"	1 6
— <i>grandiflorum, large-flowered</i>	"	1 6
<i>Veltheimia viridiflora, green-flowered</i>	"	2 6
<i>Zephyranthes Atamasco, Atamasco Lily</i>	"	6
— <i>carinata, keel-shaped</i>	"	1 0
— <i>sp. Rio de Janeiro, white, striped</i>	"	1 0
<i>Tuber, flower white and fragrant, Brazils</i>	"	2 6
— <i>flower yellow, fragrant</i>	"	2 6
— <i>from the Brazils, flower unknown</i>	"	2 6
— <i>from Minas Geraes, called Palmita</i>	"	1 6

* 12, 25 and 50 Bblbs may be had at the same rate as per doz. ; and 3 or 6 at the same rate as per doz.

SUNDRY PLANTS.

Carnations, <i>extra fine</i> , 12 pair	20 0
Chrysanthemums, <i>per doz.</i> 9s., 12s.	to 20 0
Fuchsias, <i>per doz.</i> 9s., 12s., 15s.	" 24 0
Geraniums, <i>per doz.</i> 9s., 12s., 15s., 20s.	" 40 0
Heartsease or Pansies, <i>extra fine</i> , 9s.	" 12 6
Hollyhocks, <i>very fine</i> , 9s., 12s.	" 20 6
Pioteacs, <i>extra fine Prize</i> , 12 pair	" 20 6
Pinks, <i>very fine</i> , <i>per doz.</i> 12 pair 8s.	to 12 6
Roses, <i>Standard</i> , <i>daz.</i> 18s., 24s.	" 36 0
<i>dwarf</i> <i>do.</i> and <i>dwarfs</i> , 10s., 16s.	" 18 6
<i>China</i> 5s. in pots, 12s.	" 18 0
Verbenas, <i>very fine</i> , 9s., 12s.	" 18 0

KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce ; lb. pound ; qt. quart.	Price.	Month of Sow.	pa. packet ; bush. bushel.	Price.
<i>See note page 31.</i>			<i>s. d.</i>		
3 and 4	Artichoke, green per oz.	9	3 to 4	Broccoli, self-protecting, per oz.	1 0
	Asparagus, Giant "	2		Lake's white "	1 0
10 to 6	Beans, <i>early sorts</i> per qt.			large Cornish "	1 0
	earliest dwarf Fan "	8		— Spring white "	1 0
	early Mazagan "	6		— purple "	1 0
	— long-pod "	6		late Cape "	1 6
	green long-pod "	6		— close-headed pur. "	1 0
	Johnson's Wonderful "	6		— white "	1 0
1 to 5	large Windsor "	6		London Particular "	1 0
	Taylor's do. "	6		Miller's dwarf white "	1 0
	green do. "	6		new Mammoth "	1 0
3 to 5	Beet, fine large red per oz.	3		new Victoria "	1 0
	new German "	4		Portsmouth "	1 0
	new purple-top "	4		Potter's new pink "	1 0
	Mitchel's crimson "	4		Snow's superb "	1 0
	turnip-rooted "	4		very late dwarf Danish "	1 6
	silver or Spinach Beet "	3		Wilcove large white "	1 0
	white "	3		Winter Imperial "	1 0
	Garnishing, in 3 col. per pa.	3		1 oz. 8 best for succession	8 0
3 to 4	Borecole, or Kail per oz.			1 " 4 do. do.	4 0
	dwarf green curled "	3		$\frac{1}{2}$ " 8 do. do.	4 0
	dwarf brown "	3		$\frac{1}{2}$ " 4 do. do.	2 0
	tall green "	3	3 to 4	Brussel Sprouts per oz.	6
	Asparagus, new "	6		imported Belgian "	1 0
	Blenheim "	4	3 to 9	Cabbage, Atkins' Matchless "	6
	Buda "	3		Barnes' early "	6
	Delaware "	3		Carter's early "	1 0
	Jerusalem "	3		Carter's Matchless "	1 0
	Knoll "	3		early Battersea "	6
	new heading "	6		— dwarf "	6
	purple "	3		— East Ham "	6
	Ragged Jack "	3		— Downie's Emperor "	6
	variegated, 3 vars. "	6		— Enfield "	6
4 to 6	Broccoli, early pur. Cape per oz.	1 0		— Hope "	6
	Cape white "	1 6		— London Market "	6
	— green "	1 0		— Marrow, Tiley's "	1 0
3 to 5	early cauliflower "	1 0		— Nonpareil "	6
	— close-headed pur. "	1 0		— Paignton "	6
	— Grange's "	1 0		— Reliance "	1 0
	— Malta "	1 0		— Sprotbrow "	6
	— October "	1 0		— Sugar-loaf "	6
	— purple "	1 0		— superfine "	1 0
	— sprouting "	1 0		— Vanack "	6
3 to 4	— Walcheren "	1 6		— Wellington "	6
	— white "	1 0		— York "	6
	— Wren's "	1 0		King of the Cabbages "	6
	American, extra "	1 0		Shilling's Queen "	6
	Brimstone "	1 0		large Battersea "	6
	Chappel's cream "	1 0		— Imperial "	6
	dwarf Russian "	1 0		— Pomeranian "	1 0
	— Siberian "	1 0		— York "	6
	Elletson's gigantic "	1 0		— Drumhead "	3
	Field's new white "	1 0		1 oz. 6 finest for succession	4 0
	Hampton Court "	1 0		$\frac{1}{2}$ " 6 do. do.	2 0
	Howden's superb "	1 0		Red, for Pickling per oz.	6
	Impregnated wh. "	1 0		— Dutch, large "	6
	Invisible "	1 0	3 to 6	Savoy, new Ulu "	1 0

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
3 to 6	Cab., dwarf green Savoy per oz.	6	4 & 5	Cucumber, short prickly, per pa.	3
	Savoy, Drumhead "	6		white Turkey "	3
	— globe "	6		<i>Prize frame varieties.</i>	
	— Mitchel's Dwarf "	6	9 to 6	Allen's Victory of Suffolk "	1 0
	— yellow "	6		Carter's Black Spine "	1 0
	— yellow Blumenthaler "	1 0		— white spine "	1 0
3 to 8	Chou de Milan, imported "	1 0		*Colney Hatch, w. s. extra "	1 0
	Colewort (for greens) "	6		*— new black spine "	1 0
	Couve Tronchuda "	1 0		*Cuthill's black spine "	6
	Kohl-Rabi, a. g. lar. pur. "	3		Defiance "	1 0
	— above ground, ear. wh. "	6		Haden's Conqueror "	1 0
	— do. early blue "	6		*Improved Sion House "	6
	— under ground, best "	6		Kerrison's Prize "	1 0
	Thousand-headed "	3		Manchester Prize "	6
2 to 9	Carrot, early Horn per oz.	3		Man of Kent "	6
	early scarlet frame "	3		Roman Emperor "	1 0
3 to 4	long Surrey "	3		*Sion House "	6
	— orange "	3		Walker's Prize-fighter "	6
	fine white, for stewing "	3		*Weedon's frame "	6
	St. James's scarlet "	3		*Webb's Invincible "	1 0
	scarlet Altrincham "	3		6 finest varieties "	5 0
3 to 5	Cauliflower, early "	1 0		finest mixed "	1 0
and in	late "	1 0	4 & 5	Egg Plant "	3
August	large Asiatic "	1 0	5 to 8	Endive, green curled per oz.	6
	— Cyprus "	1 0		white curled "	6
	Radford's Giant "	1 0		green curled winter "	6
	Walcheren "	1 0		Batavian, green "	6
	1 oz. 4 best for succession "	5 0		— white "	6
	$\frac{1}{2}$ ", 4 do. do. "	2 6	5 & 6	French Beans, dwarf dun, p. qt.	1 0
3 to 5	Cardoon, Spanish per oz.	6		dwarf Canterbury "	1 0
	new large purple "	1 0		*— dark dun "	1 0
	Celery, Giant red "	4		*— earliest forcing "	1 0
	Giant white "	4		— early prolific "	1 0
	Champion white "	6		*— Fulmer's forcing "	1 0
	Cole's solid red "	6		*— Negro "	1 0
	curled dwarf "	4		— speckled "	1 0
	Hillingdonian red "	6		tall or Scarlet Runners "	1 0
	Jones' Matchless "	4		— Dutch Case-knife "	1 0
	Lane's new red "	6		— French Haricots "	1 0
	large-rooted Celeriac "	3		— Painted Lady "	1 0
	Lav's white Giant "	4	3 to 5	Ice Plant per pa.	3
	Lion's paw "	4	4 to 5	Indian Corn, Quarantain "	3
	Manchester red "	4	3 to 5	Leek, London Flag per oz.	6
	— white "	4		Musselburg "	1 0
	Scymour's white "	4		new Giant "	1 0
	solid red "	3	3 to 9	Lettuce, Cos, Ady's "	1 0
	— white "	3		Cos, Artichoke-leaved "	1 0
	Wheeler's pink "	3		*— Bath "	1 0
	Corn Salad "	3		*— black-seeded Bath "	1 0
	new Italian "	6		— blood "	1 0
2 to 10	Cress, common per qt.	1 0		— Brighton "	1 0
	triple curled "	1 6		— Cove "	1 0
	golden per oz.	2		*— brown "	1 0
	Normandy "	2		*— Egyptian "	1 0
	perennial American "	3		— Florence "	1 0
	Water-cress per pa.	6		— green "	1 0
9 to 6	Cucumber, fine frame "	6		— Kensington, fine "	1 0
4 & 5	long prickly, per oz. 1s. "	3		— new compact "	1 0
	long Ridge "	3		*— new hardy green "	1 0
	Stockwood, extra "	6		*— white "	1 0

Both for Autumn and Spring Sowing.

4 & 5
5 to 8

* Best for forcing.

3 to 5
4 to 5
3 to 5

* Both for Autumn and Spring Sowing.

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		s. d.			s. d.
* Both for Autumn and Spring Sowing.	3 to 9 Lettuce, Cos, new spotted, p. oz.	1 0	10 to 5	Peas 1. <i>Earliest sorts.</i>	
	Cos, Nonpareil, white "	1 0		Warner's Emperor per qt.	9
	— green "	1 0		Prince Albert "	9
	— Paris green "	1 0		early frame 6d., Kent "	6
	— white "	1 0		— May 6d., Warwick "	6
	— white "	1 0		— Charlton "	6
	1 oz. 6 best sorts	6 0		Anvergne "	9
	½ " 6 do. do.	3 0		Bishop's new long-pod. "	1 0
	Cabbage, Asiatic "	1 0		**Champion of Engl. "	1 0
	— Belle et Bonne "	1 0		Early blue, Eclipse "	1 0
	* — blood-red "	1 0		Fairbeard's Surprise "	1 0
	* — brown Dutch "	1 0	1 to 6	II. <i>Later sorts.</i>	
	— Drumhead "	1 0		Marrow, Stub's e. blue "	1 0
	* — Grand Admiral "	1 0		— early green "	8
	— hardy Hammersmith "	1 0		— dwarf white "	8
	— Imperial "	1 0		— dwarf green "	8
	— Magnum Bonum "	1 0		— Glory of England "	8
	— Malta "	1 0		— matchless green "	8
	— Marseilles "	1 0		— Ringwood "	8
	* — Mogul "	1 0		— Royal Victoria "	8
	* — white "	1 0		— Woodford's green "	8
	* — pink-edged "	1 0	1 to 6	III. <i>Wrinkled Marrows.**</i>	
	* — Tennis-ball "	1 0		British Queen "	1 6
	— Turkey "	1 0		Carter's Victoria "	2 0
	— Victoria "	1 0		Hairs' dwf. Mammoth "	2 6
	— Silician, brown "	1 0		Knight's dwarf white "	1 0
	1 oz. 6 finest sorts	5 0		— dwarf green "	1 0
	½ " 6 do. do.	2 6		— tall white "	1 0
	4 to 5 Love apple (Tomato), red "	1 0		— tall blue "	1 0
	yellow packet 3d. "	1 0		— Ne Plus Ultra "	1 6
	3 to 6 Mallow, garnishing per pa.	1 0		Superb Branching "	1 6
	2 to 10 Mustard, white per qt.	3 0		King of the Marrows "	1 6
	3 to 6 Onion, blood-red per oz.	4		Ward's Incomparable "	1 6
* Both for Autumn and Spring Sowing.	* Deptford per lb. 4s. "	4	1 to 6	IV. <i>Various Peas.</i>	
	Globe " 4s. "	4		Bedman's Imperial "	8
	— new white "	4		Blue Prussian "	6
	James's keeping "	4		Flack's Victory "	8
	* Lisbon "	4		Pride of Sussex "	1 0
	* new Giant "	6		Seimitar "	6
	3 to 8 Pickling "	6		Sugar, dwarf "	1 6
	Portugal, brown lb. 4s. "	4		10 finest for suc. 1 qt. each	10 0
	— white " 4s. "	4		10 do. 1 pt. "	5 0
	* Reading " 4s. "	4		6 newest do. 1 qt. "	9 0
	Silver-skinned "	6		6 do. do. 1 pt. "	4 6
	Early Nocera do. "	1 0		6 dwarfest 1 qt. "	6 0
	* Spanish, brown " 4s. "	4		The <i>Wrinkled Marrows**</i> , (including also <i>Champion of England</i> .) see No. III., form a distinct class, and can be highly recommended. Carter's <i>Victoria Marrow</i> is warranted the largest and finest-flavoured of all the <i>White Peas</i> . II. III. and IV. all good for middle and late crops. <i>Royal Victoria</i> and <i>Carter's Victoria</i> for very late crops.	
	* — white " 4s. "	4			
	* Strasburg "	4			
	3 to 8 * Tripoli, large flat "	6			
	* — round "	6			
	3 to 9 Two-bladed early "	6			
	Yellow Pear "	6			
	8 to 9 Welch "	3			
	6 finest sorts, 2 oz. each	5 0			
	6 do. do. 1 do.	2 6			
	3 to 8 Parsley, extra curled per oz.	3			
	Myatt's garnishing "	3			
	new matchless "	6			
	large-rooted Hamburg "	3			
	3 to 5 Parsnip, best large "	3			

Month. of Sow.	oz. ounce; lb. pound; qt. quart.	Price	Month of Sow.	pa. packet; bush. bushel.	Price.
4 to 5	Pompkin, large yellow per pa.	3		Fennel Parslain, green	s. d.
	green Spanish "	3		— Florence — golden	
	Potato, early per pa. 6d. p. oz.	1 6		Horchound Rosemary	
	late " 6d. "	1 6		Hyssop Rue	
	Silver-skin " 1s. "	3 6		Lavender Sage	
1 to 9	Radish, long framo per qt.	2 0		Marjoram, pot Savory, Summer	
	Wood's new frame "	2 0		— sweet — Winter	
	early scarlet "	2 0		Orach Tarragon, plants	
	new London Particular, "	2 0		Nettle Tobacco, fumig.	
	early short topt "	2 0		Pimpernel Thyme	
	long Salmon "	2 0		Pot Marigold Wormwood	
	white Naples "	3 0		Chives, Lemon Thyme and	
	red Turnip "	2 0		Tarragon to be had in Plants	
	white Turnip "	2 0		only.	
	mixed Turnip "	2 0			
	new olive-shaped per oz.	3		ROOTS AND PLANTS.	
	Black Spanish "	3		Some of the prices variable.	
4 to 6	Rampion per pa.	3		Artichokes per peck	3 6
	Rhubarb, mixed "	6		— Jerusalem "	2 0
	Royal Albert "	6		Asparagus, 2 years per 100	2 6
	Tobolsk "	6		— 3 years, large "	5 0
	Victoria "	6		— extra large, for foreing "	
	Salsafy, root per oz.	4		Garlic per lb.	1 0
	Scorzonera, root "	4		Mushroom Spawn per bush.	1 0
3 to 6	Sea Kail "	6		Potato, early ash-leaved "	6 0
	Skirret, root "	6		early Chalmore Kidney "	5 0
	Sorrel "	4		— Golden drop "	5 0
3 to 9	Spinach, round per qt.	1 0		— Shaw "	4 0
	new Gandy per oz.	4		2nd early, Flour-ball "	4 0
	prickly per qt.	1 0		— Forty-fold "	4 0
	broad Flanders "	1 0		— Gold-finder "	4 0
3 to 6	New Zealand per oz.	6		— white-blossom "	4 0
4 to 5	Squash, fine mixed per pa.	3		late, Regents "	3 6
3 to 8	Turnip, early Dutch per oz.	3		— Jersey Blues "	3 0
	early Mousetail "	3		Rhubarb, Linnaeus each	1 0
	— Six-week "	3		Royal Albert "	1 0
	— Snowball "	3		Tobolsk "	1 0
	— Nonsuch "	3		Victoria "	1 0
	— Stone or Stubble "	3		Sea Kail per 100	5 0
	new black for stewing "	4		— extra large, for foreing "	
	large white "	2		Shallots per lb.	1 0
	yellow Maltese "	3		And all other Seeds and	
	— Dutch "	3		Plants for the Kitchen Garden.	
	— Proston "	3		When sown before the usual	
	— Stono "	3		time in Spring, a hot-bed frame	
	— Swedish "	2		is required for Carrot, Cauli-	
4 to 6	— Teltan or Märksche "	6		flower, Cucumber, French Beans,	
	Vegetable Marrow per pa.	3		Gourds, Lettuce, Potato, Pomp-	
	white, egg-shaped "	6		kin, Radish, Vegetable Marrow,	
				and most others except Peas	
				and Beans.	
	HERBS.			FRUIT SEEDS.	
	In 3d. Packets; or per Ounce;			No.	
	to be sown in April or May.			1455 Apricot per packet	6
	Angelica Borage			1456 Currant, white, red & black each	6
	Anise Buglos			1457 Gooseberry, white	6
	Balm Capsicnm			1458 — red	6
	Basil, bush Cheryl			1459 Grape, finest-flavoured	1 0
	— sweet Chilis				
	Benedict Clary				

		per packet			per packet
No.		s. d.	No.		s. d.
1460	Melon, Beechwood	1 0	1484	Melon, splendid large, gr.-flesh	1 0
1461	— Black Rock	6	1485	— sweet Isphahan	6
1462	— Bromham Hall, g. f.	1 0	1486	— transparent green-flesh	1 0
1463	— Busby's scarlet-flesh	1 0	1487	— Trentham Hall	1 0
1464	— Carter's green-flesh	1 0	1488	— Warded, fine flavour	1 0
1465	— Cassabar	6	1489	— white apple-flavoured	1 0
1466	— Clifton hybrid	6	1490	— white-fleshed Valencia	1 0
1467	— Colney Hatch, g. f.	1 0	1491	— mixed, 20 varieties	6
1468	— de Provence, extra	1 0	1492	— Water Melon, imported	6
1469	— Delicious, rough, g. f.	1 0	1493	— — 4 fine varieties	6
1470	— Duke of Norfolk	6	1494	Mulberry, white	6
1471	— early Cantalupe	6	1495	— black	6
1472	— — Prescott	6	1496	Nectarine	6
1473	— fine green-flesh	6	1497	Quince	6
1474	— fine scarlet-flesh	6	1498	Peach	6
1475	— Isphahan	6	1499	Pear and Apple pips	each 6
1476	— netted Persian	6	1500	Plum, mixed	6
1477	— Pekin, fine	1 0	1501	Raspberry, finest red	6
1478	— Royal Fitzgerald, prize	1 0	1502	Strawberry, red Alpine	6
1479	— scarlet Rock	6	1503	— white Alpine	6
1480	— Sirdar, imported	6	1504	— British Queen	6
1481	— small orange-flesh	6	1505	— Elton Pine	6
1482	— — green-flesh, delicious	6	1506	— old Pine	6
1483	— — red-flesh, fine	6	1507	— finest mixed	1 0

No. 1508 Queen's Pocket Melon, extra fine, 1s.

AGRICULTURAL SEEDS.

The prices of Clover and other Agricultural Seeds are variable.

		s. d.			s. d.			s. d.
Bect, Sugar	per lb.		Turnip, Gordon, yellow	lb.		Cowgrass	per lb. or ewt.	
Broom	"		Hybrid, Dale's	"		Fescue, hard	hush.	
Buck Wheat	per bush.		Round, green	"		— meadow	"	
Burnet	per lb.		— red	"		— Sheep's	"	
Cabbage, Drumhead	"		— white	"		Festuca elatior	"	
— flat Scotch	"		Swedish, Ashcroft's	"		— heterophylla	"	
— large Battersea	"		— Emperor	"		— rubra	"	
— large Brunswick	"		— green-top	"		— tenuifolia	"	
— Thousand-headed	"		— purple-top	"		Foxtail, meadow	"	
Carrot, largest red	"		— Laing's	"		Holcus lanatus	"	
— large white Belgian	"		— Matson's	"		Lucern	lb.	
Chicory	"		— Skirving's	"		Oat Grass, tall	bush.	
Furze	"		Scotch, green-top	"		— yellow	"	
— French	"		— purple-top	"		Poa angustifolia	lb.	
Kohl-Rabi, green	"		Stubble	"		— nemoralis	"	
— large purple	"		Tankard, green	"		— nervosa	"	
— under-ground	"		— red	"		— pratensis	"	
Mangel Wurzel, long red	"		— white	"		— trivialis	"	
— long yellow	"		— yellow	"		Rye Grass, annual	bush.	
— globe red	"		Yellow Aberdeen	"		— evergreen	"	
— globe yellow	"					— Italian, imported	"	
Mustard, white	"					— Pacey's	"	
Parsnip, large field	"					— perennial	"	
Rape, dwarf	"					Sainfoin	"	
Turnip-rooted Cabbage, } see Kohl-Rabi }	"					Sweet Vernal	lb.	
Turnip, Globe, red, bush. or lb.	"					Timothy	"	
— green	"					Yarrow	"	
— white	"					Mixed for pasture	bush.	
						— for lawns	"	

ADDITIONAL NEW FLOWER SEEDS.

		per packet s. d.			per packet s. d.
Portulaca, new rose		0 6	Salpiglossis, new elegant		0 6
Salpiglossis, new striped		0 6	Zinnia elegans, new striped		0 6
Salpiglossis, new white		0 6	Victoria regia (splendid aquatic)		5 0

*** Mats, Netting, and all kinds of Garden implements.*

A comprehensive Catalogue of Dutch Bulbs will be published in the Autumn.

Printed by Richard Taylor, Red Lion Court, Fleet Street.

Purchased from Henry John 1852